

RF
SYSTEM AB

PRICE LIST **2011**

www.rf-system.se
+46 (0)44 817 07

Complete products for railway,
groundworks & building contracting

Your needs are our solutions



TABLE OF CONTENTS

Adapters	39	Cable equipment	24	Shims	37
Asphalt grinder	25	Cable lid hoist	28	Buckets	10 ff
Asphalt cutters	2	Cable lid grapple	28	Sleeper changing unit	27
Asphalt cutter wheel	2	Cable bucket	12-13	Sleeper grapple	28
Levelling bar	23	Cable bucket in profile	18	Sleeper layer	27
Levelling plough	29	Cable accessories	5	Thicket cutter bar	33
		Curbstone grapple	35	Power rake	32
Auger	4	Splitting screw	6	Wear parts	15
Auger link	6	Crane arm	34	Narrow bucket	12-13
Auger motor	3	Crane link	6	Quick hitches	9
Auger adapter	3	Combination hitches	7	Snow blade	41
Auger extension	4	Combination 4 in 1 bucket	21	Broom	32
Auger corner hinge for rotortilt	6			Sweeper roller	30
Brush	32	Loader attachments	40 ff	Bucket sweeper	31
		Lid opener	28	Ballast tamper	26-27
Ditch bank cutter	32	Paving bar	37	Ballast tamper, double	26
Deep-digging bucket	10-11	Laying tube	24	Ballast tamper for MAV	27
				Ballast tamper, rotating	26
Expansion bolt	9	Machine hitch	21	Railway equipment	26 ff
		Machine hitch, combi	7	Stone and sorter bucket	20
Cutter	25	Compactor	38	Stump cutter	25
Cultivator with hydraulics	24	Compactor plate	38	Anti-theft devices	37
Cultivator for cable plough	24	Metal cutter	33		
Ripper tooth	24			Tooth tip	10
		New products	1	Tilt intermediate hitch	8
Fork set	22			Frost ripper	22
Grid and shaker	20	Conversion hitches	7	Tree cutter	33
Skeleton bucket	20			Three buckets in one	19
Grapple	35-36	Compaction wheels	6		
Grapple bucket	35	Grading bucket	14-15	General purpose fork	34
Grapple adapter	3			General purpose grapple	35
		Clearing bucket	18	General purpose bucket	35
Hydraulic motor	3	Spare parts, ASF	2		
Hydraulic bucket	16-17	Demolition grapple	36	Vibrating asphalt cutter	2
High-speed cutter	25	Rotators	35	Terms	B ff
		Rotor brush	30	V-profile bucket	19

All our products can be rented. See page B for full details. When requested we can send the relevant catalogue and prices: "Cable and Wire Accessories", "Loaders (Telescopic, Front and Compact Loaders)", or Railway Equipment".

PRICE LIST 2011

We are your contacts at RF-System AB
Switchboard +46 (0)44 817 07



**Mana-
Marcus Olofsson**
Tel.: +46 (0)44 33 70 83
direct
Mob.: +46 (0)70 656 15
05



**Sales
Rolf Svensson**
Tel.: +46 (0)44 33 70 82 direct
Mob.: +46 (0)70 508 46 58
rolf@rf-system.nu
Marketing and Sales Manager
Complaints

**Sales
Fredrik Fransson**
Tel.: +46 (0)44 33 70 85
Mob.: +46 (0)70 838 12 40
fredrik@rf-system.nu
Technical Issues
Workshop



**Sales
Jerry Berntsson**
Tel.: +46 (0)44 33 70 86 direct
jerry@rf-system.nu
Mob.: +46 (0)70 610 78 06

**Switch-
Ingrid Molin**
Tel.: +46 (0)44 33 70 80
direct
ingrid@rf-system.nu



Susanne Wilhelmsson
Tel.: +46 (0)44 817 07
sanne@rf-system.nu

Human Resources

Cecilia "Cilla" Andersson
Tel.: +46 (0)44 33 70 84
Mob.: +46 (0)70 528 17 07
cilla@rf-system.nu

Controller

Ann-Louise Eriksson
Tel.: +46 (0)44 33 70 87
ale@rf-system.nu
Finance Manager, Billing

Finance

Patrick Åkeson
Tel.: +46 (0)44 817 07
patrick@rf-system.nu
Advertising, Catalogues

Digital Media

Johan Brinck
Tel.: +46 (0)44 817 07
johan@rf-system.nu

Design

Bill Jonasson
Tel.: +46 (0)44 817 07
bill@rf-system.nu

Procurement

Orders

Leif Svensson
Tel.: +46 (0)44 33 70 88
leif@rf-system.se
Customer Service,
Quotes, by E-mail and Fax

Workshop Spare Parts Rentals

Lars Persson
Tel.: +46 (0)44 817 07
lars@rf-system.nu
Incoming and Outgoing
Deliveries, Transport

Warehouse

Ulf Herrlin
Tel.: +46 (0)44 817 07
ulf@rf-system.nu
Incoming and outgoing
deliveries, Transport

Warehouse

Magnus Muhr
Tel.: +46 (0)44 817 07
magnus@rf-system.nu
Incoming and Outgoing
Deliveries, Transport

BUY OR RENT

RF-System AB customises its equipment to suit your requirements.

By renting the products you are given the opportunity to ensure your business is able to use and maintain the equipment properly.

RENTAL

All our products can be rented.

The daily rental fee is equivalent to 1% of the product's gross price.

Example: A product value of SEK 50,000 gives a rental fee of SEK 500 per day.

The minimum charge is 3 days or SEK 550.

If a product has not been cleaned, an extra SEK 450 is charged for cleaning upon return.

PURCHASE

When a rented product is purchased, the rental already paid is deducted from the purchase price.

Example:

A product with a purchase price of SEK 50,000 has been rented for 25 days, meaning the rent will be included in the purchase price. 25 days x SEK 500 = SEK 12 500 in part payment for the product.

Balance to pay: SEK 37 500.

DELIVERY TERMS

All prices exclude VAT.

Date of delivery is as per order confirmation.

EXW our warehouse in Vinslöv as per Incoterms 2000. Shipping and packaging costs apply.

For the warranty to remain valid the product may only be used by machinery with a maximum weight as set out on the relevant product rating label.

Ownership is not transferred to the buyer until payment has been received in full.

**Delivery terms as per:**

MASKIN 03 General provisions for the supply of construction machinery and accessories, tools, etc. for professional purposes.

RESUT 05 Delivery and warranty provisions for spare parts, replacement parts and re-

CONSTANT ADAPTATION

Our clients' wishes guide our approach and selection of products.
We are constantly developing new products and models.
Our motto is "Your needs are our solutions".

PRODUCTION

RF-System AB's products are CE-marked and well-documented.
We follow modern environmental engineering practice.

Production follows Machinery Directive 2006/42/EC.

CATALOGUES

We have special catalogues for:

- * Cable and Wire Accessories
- * Loaders (Telescopic, Front and Compact Loaders)
- * Railway equipment

All catalogues and product sheets are available on our website, www.rf-system.se.

PHOTOS – VIDEOS

Additional photographs and videos are available on our website, www.rf-system.se



USED EQUIPMENT

RF-System AB also sells used equipment and the second-hand products available are presented on our website, www.rf-system.se



You can always choose a higher product rating than the machine weight requires, but NEVER a lower one.

See previous page regarding warranty and CE-marking.

RF SYSTEMS AB is a member of Maskinleverantörerna (the Swedish trade association for suppliers of mobile machines).



RF-SYSTEMS AB holds the highest credit rating and has received the accolades of Gazelle Company and Super Company.

We reserve the right to make changes without notice and are not liable





Offices, showroom and warehouses at Furutorpsgratan 6 in Vinslöv

RF-System AB is a family business that began operations in 1978 and is headquartered in Vinslöv, in southern Sweden.

RF-System AB manufactures complete products for railway, groundworks and building contracting; we offer over 2,500 products at competitive prices.



Offices and warehouses at Industrigratan 16

Bo Andersson
Founder and owner



RF-System's strength lies in unique, high quality products, plenty of stock and high delivery reliability. RF-System AB manufactures specialty products to customer requirements.

"Your needs are our solutions"



Marcus Olofsson, MD



As we have our own fleet of vehicles, we can offer more flexible deliveries.

NEW PRODUCTS



**Splitting
screw**



**Double asphalt
cutter**

**Compaction
wheels**



**New powerful
high-speed cutter**



Lock package



**Hydraulic cable
plough**



**New efficient brush
BST RT**



**Clearing bucket
for ditches**



ASPHALT CUTTER with full warranty on the cutter wheel

PRODUCT Max. machine weight	ARTICLE NUMBER	COUPLING	CUTTER WHEEL (mm)	WEIGHT (kg)	PRICE (SEK)
ASF 6	015-00101-374-08	S30-150	300x8	35	5 400
	015-00102-374-08	S30-180			
	015-00104-374-08	S40			
ASF 14	015-00104-376-08	S40	400x8	53	6 200
	015-00107-376-08	S45	400x8		
	015-00107-377-10	S45	450x10		
	015-00109-376-08	S50	400x8		
	015-00109-377-10	S50	450x10		
ASF 18	015-00111-376-10	S60	400x8	68	7 500
	015-00111-377-10	S60	450x10		
ASF 22	015-00116-376-10	B18	400x8	78	10 400
	015-00116-377-10	B18	450x10		
	015-00117-376-10	B20	400x8		
	015-00117-377-10	B20	450x10		
ASF 30	015-00113-377-10	S70	450x10	85	12 400
	015-00118-377-12	B27	450x12		
	015-00119-377-12	B30	450x12		
ASF S	015-00090-374-08	Welding plate S1	400x10	45	6 000
ASF M	015-60104-377-10	Compactor S40	450x10	110	13 000
	015-60107-377-10	Compactor S45			
	015-60109-377-10	Compactor S50			
	015-60111-377-10	Compactor S60			15 000



ASF 14



Machine
weight

- Full warranty on cutter wheel
- Quick and easy to replace cutter wheel
- Simple maintenance
- Lightweight

ASPHALT CUTTER WHEEL

PRODUCT	ARTICLE NUMBER	DIMENSIONS (mm)	PRICE (SEK)
AST 01	017-00000-374-08	300x8	1 300
AST 02	017-00000-376-08	400x8	1 400
	017-00000-376-10	400x10	
AST 04	017-00000-377-08	450x8	1 500
	017-00000-377-10	450x10	
	017-00000-377-12	450x12	
AST 06	017-00000-389-15	550x15	3 000



Hub for 40 mm shaft

SPARE PARTS FOR ASPHALT CUTTER

PRODUCT	ARTICLE NUMBER	DESCRIPTION	PRICE (SEK)
ASR 00	018-00000-000-00	Support washer 15 mm	250
ASR 02	018-00000-000-02	4 bolts for cutter wheel + Nordlock	250
ASR 03	018-00000-000-03	2 bushings	250
ASR 04	018-00000-000-04	Shaft	600
ASR 05	018-00000-000-05	Hub with bushings	1 750
ASR 06	018-00000-000-06	Wear lip	300 per pair



COMPLETE CUTTER WHEEL WITH HUB, SHAFT AND BOLTS

PRODUCT	ARTICLE NUMBER	DIMENSIONS (mm)	PRICE (SEK)
ASK 01	019-01000-374-08	300x8	2 500
ASK 02	019-02000-376-08	400x8	3 000
	019-02000-376-10	400x10	
ASK 03	019-03000-377-08	450x8	3 500
	019-03000-377-10	450x10	
	019-03000-377-12	450x12	



PRICE LIST 2011

HYDRAULIC MOTOR for winching, drilling and milling

PRODUCT	ARTICLE NUMBER	COUPLING	CAPACITY (cc)	MAX. (bar)	FLOW (litres)	TORQUE (200 bar)	PRICE (SEK)
HYD 01	040-01104-080-00	S40	500-800	350	15-140	3500 Nm	53 000
	040-01107-080-00	S45					
	040-01109-080-00	S50					
HYD 02	040-02111-160-00	S60	500-800	350	15-140	3500 Nm	57 000
HYD 03	040-03117-160-00	B20	500-800	350	15-140	3500 Nm	62 000
	040-03113-160-00	S70					
HYD 04	040-04107-160-00	S45	1600	350	15-160	6000 Nm	55 000
	040-04109-160-00	S50					
HYD 05	040-05111-160-00	S60	1600	350	15-160	6000 Nm	59 000
HYD 06	040-06117-160-00	B20	1600	350	15-160	6000 Nm	63 000
	040-06113-160-00	S70					
HYD 08	040-08111-315-00	S60	3150	450	35-350	12000 Nm	90 000
HYD 09	040-09117-300-00	B20	3150	450	35-350	12000 Nm	93 000
	040-09113-300-00	S70					
	040-09114-315-00	S80					

- For winching, drilling, milling.
- Options include KST, BOR, cutter, etc.
- Heavy duty version available with 25% more powerful motor.
- Torque: 750-12000 Nm at 200 bar
- Available for all sizes of machine.

A more powerful motor must be used for milling.
Call us to ask about prices

HYD 04



Options include e.g. KST on p. 5 and cutters on p. 25, amongst others.
Single or double coupling

Attachments not included.
See below for BAD.

HYDRAULIC MOTOR FOR CRANE AND EXCAVATOR for drilling.

PRODUCT	ARTICLE NUMBER	DRIVE	ENGINE CAPACITY (cc)	TORQUE (Nm at 200 bar)	MAX. (bar)	FLOW (litres)	PRICE (SEK)
HYK 12	041-01070-000-01	70	Blade motor	1100	210	15-60	8 000
HYK 20	041-02070-000-02	70	500	1920	225	20-90	18 000
HYK 30	041-05070-000-00	70	1600	6000	350	35-175	46 000
HYK 35	041-06100-000-00	100	3150	12000	450	50-240	76 000

- Standard motor for drilling up to Ø2.5 metres
- High torque
- Very smooth running at low speed
- Flexible and strong for winching, drilling, milling, etc.
- The cable and wire can be wound in and out directly from the drum without support
- Can withstand very high hydraulic pressure.

HYK 20



A complete drilling rig consists of
BAD
HYK
BOR



AUGER ADAPTER/GRAPPLE ADAPTER

PRODUCT	ARTICLE NUMBER	COUPLING	AUGER ATTACHMENT	PRICE (SEK)
BAD 6	032-01101-133-00 / 032-01104-133-00	S30 / S40	link	5 000
BAD 14	032-03107-133-00 / 032-03109-133-00	S45 / S50	link	7 000
BAD 18	032-04111-133-00	S60	link	9 000
BAD 24	032-06117-133-00	B20	link	11 000
BAD 33	032-07118-133-00 / 032-07113-133-00	B27 / S70	link	14 000

- For mounting on HYD or HYK hydraulic motor for drilling.

AUGERS For drive unit see p. 3

PRODUCT	ARTICLE NUMBER		DIAMETER (mm)	LENGTH (mm)	WEIGHT (kg)	DRIVE (mm)	PRICE (SEK)
BOR 01	030-00070-370-11		100	1100	21	70	7 500
BOR 02	030-00070-371-11		150	1100	26	70	8 000
BOR 03	030-00070-372-11		200	1100	31	70	8 300
BOR 04	030-00070-373-11		250	1100	36	70	8 600
BOR 05	030-00070-374-11		300	1100	40	70	8 800
BOR 06	030-00070-375-11		350	1100	44	70	9 000
BOR 07	030-00070-376-11		400	1100	59	70	9 500
BOR 08	030-00070-377-11		450	1100	68	70	10 000
BOR 09	030-00070-374-20		300	2000	77	70	14 500
BOR 10	030-00070-375-20		350	2000	86	70	15 000
BOR 11	030-00070-376-20		400	2000	95	70	15 500
BOR 12	030-00070-377-20		450	2000	105	70	16 500
BOR 13	030-00070-379-20		530	2000	116	70	17 000
BOR 14	030-00070-380-20		630	2000	140	70	17 500
BOR 14	030-00100-380-20		630	2000	160	100	19 500
BOR 15	030-00070-381-20		700	2000	150	70	18 500
BOR 15	030-00100-381-20		700	2000	170	100	20 000
BOR 16	030-00070-382-20		800	2000	165	70	19 500
BOR 16	030-00100-382-20		800	2000	185	100	22 000
BOR 17	030-00070-388-20		900	2000	180	70	22 000
BOR 17	030-00100-388-20		900	2000	200	100	24 000
BOR 18	030-00070-383-20		1000	2000	195	70	25 000
BOR 18	030-00100-383-20		1000	2000	215	100	27 000
BOR 19	030-00070-383-20		1200	2000	225	70	29 000
BOR 19	030-00100-384-20		1200	2000	245	100	35 000
BOR 20	030-00100-385-20		1500	2000	290	100	40 800
BOR 21	030-00120-383-20		1000	2000	230	120	ASK FOR PRICE
BOR 22	030-00120-384-20		1200	2000	260	120	ASK FOR PRICE
BOR 23	030-00120-385-20		1500	2000	305	120	ASK FOR PRICE
BOR 24	030-00120-386-20		2000	2000	380	120	ASK FOR PRICE
BOR 25	030-00120-387-20		2500	2000	455	120	ASK FOR PRICE



- For vertical or horizontal drilling
- HARDOX on lower parts
- Also manufactured in other sizes
- Also available with different drive
- Unlimited lengths
- Toothed systems:
(standard is welded, toothed cutting blade)
Cat, milling pin, C-lock, Kverneland, UNI-Z
- New type of auger, tapered tip.
Price – ask for a quote

Tapered auger for drilling
in slopes etc.



AUGER EXTENSION

PRODUCT	ARTICLE NUMBER	LENGTH (mm)	DRIVE (mm)	PRICE (SEK)
BFÖ 03	031-00070-000-10	1000	70	6 500
BFÖ 04	031-00070-000-20	2000	70	8 500
BFÖ 05	031-00100-000-10	1000	100	13 000
BFÖ 06	031-00100-000-20	2000	100	14 000

PRICE LIST 2011

ACCESSORIES for cable & hose work

PRODUCT	ARTICLE NUMBER	NAME	DESCRIPTION	PRICE (SEK)
KST 00 *	130-00000-000-00	Winch drum	400x400	10 000
KST 01*	130-00000-000-01	Winch drum	600x500 Releasable	20 000
KST 02*	130-00000-000-02	Winch drum	900x350 Releasable	21 000
KST 03*	130-00000-000-03	Demolition drum	900x300 Openable	11 000
KST 04*	130-00000-000-04	Demolition drum	1300x600 Openable	17 000
KST 05*	130-00000-000-05	Drum shaft in aluminium	K4-K36 Drum	13 000
KST 06	130-00000-000-06	Hose drum	All types of hose, width 2430 mm, max. 80 kg	7 000
KST 06*	130-00000-001-06	Hose drum	All types of hose, width 2900 mm, max. 750 kg	12 500
KST 07*	130-00107-000-07	Drum holder	S45 coupling	ASK FOR PRICE
	130-00109-000-07		S50 coupling	
	130-00111-000-07		S60 coupling	
	130-00117-000-07		B20 coupling	
KST 08	130-00107-000-08	Cable sweeper	S45 coupling. Width 300-400 mm	27 500
	130-00109-000-08		S50 coupling. Width 300-400 mm	
KST 09	130-00000-000-09	Marking tape holder		2 200
KST 10	130-00000-000-10	Stand for cable plough		3 300
KST 11	130-00000-000-11	Cable cutter (guillotine)		6 500
KST 12	130-00000-000-12	Pulling wire (cable plough – machine) 4500 mm		ASK FOR PRICE

Products marked with an asterisk (*) are adapted to HYD on page 3.


We also make other accessories to order.

KST 05



Drum shaft in aluminium
Adapted to hydraulic unit
2200 kg
K4-K36 drum

KST 06



Hose drum. For all types of hose and wire etc.
Also available in larger version.

KST 08



Cable sweeper. Several
different attachments and
models

KST 03-04

KST 11



Cable cutter. Cut cable
with an excavator



KST 02

Drum holder. For carrying a cable drum
with an excavator.
K4-K36

Demolition drum. Openable

Pulling wire.
Between the machine and
cable plough.



KST 12



Demolition drum.
For rotortilt



KST 07

CRANE LINK

PRODUCT	ARTICLE NUMBER	PRICE (SEK)
LED 4	042-01251-000-00	2 200
LED 10	042-02000-000-00	4 400
LED 20	042-03000-000-00	5 500
LED 35	042-04000-000-00	8 300

- For grapple, drilling, etc.



LED 4



LED 10

AUGER LINK

PRODUCT	ARTICLE NUMBER	AUGER ATTACHMENT	PRICE (SEK)
BOL 22	034-00070-000-00	70	9 900
BOL 30	034-00100-000-00	100	12 000
BOL 35	034-00120-000-00	120	18 700

- Horizontal drilling



BOL 22

AUGER CORNER HINGE FOR ROTORTILT

(Tool attachment with a hinge)

PRODUCT Machine weight	ARTICLE NUMBER	COUPLING	AUGER ATTACHMENT	PRICE (SEK)
BKR 6	033-00101-000-00 033-00104-000-00	S30 S40	70 mm	9 000
BKR 12	033-00107-000-00 033-00109-000-00	S45 S50		10 000
BKR 18	033-00111-000-00	S60		11 000
BKR 24	033-00113-000-00 033-00117-000-00	S70 B20		13 000



BKR

- Adapted to the rotortilt/tilt rotator
- Fits all standard augers

SPLITTING SCREW

Motor on page 3

PRODUCT	ARTICLE NUMBER	AUGER ATTACHMENT	PRICE (SEK)
KLY	029-00000-000-00	70 mm	ASK FOR PRICE



KLY

COMPACTION WHEELS

PRODUCT	ARTICLE NUMBER	Recommended machine weight	PRICE (SEK)
PAC	112-00000-000-16	16 tonnes	ASK FOR PRICE
PAC	112-00000-000-30	30 tonnes	ASK FOR PRICE




PAC

PRICE LIST 2011

CONVERSION HITCH (bucket top – welding parts)

PRODUCT Max. machine weight	ARTICLE NUMBER	COUPLING	SIDE std quoted	(mm)	WEIGHT (kg)	PRICE (SEK)
OBF 2	050-01101-000-00	S30/150	10		3	600
	050-01102-000-00	S30/180	10		4	675
OBF 6	050-01104-000-00	S40	15		11	860
OBF CRANE	051-01106-000-00	S40	15		16	2 400
OBF 14	050-02107-000-00	S45	20	30	24	1 080
	050-03109-000-00	S50				
OBF 18	050-04111-000-30	S60	30	20	45	1 800
OBF 24	050-09113-000-40	S70	40	30	55	2 900
OBF 33	050-10114-000-50	S80	50	30	65	4 700
OBF 16	050-05116-000-00	B18	15	> 20	70	4 000
OBF 22	050-06117-000-15	B20	15	> 20	80	3 900
OBF 30	050-07118-000-00	B27	15	> 20	100	4 400
OBF 35	050-08119-000-20	B30	20	> 30	150	8 500

- Fixing parts of suitable quality
- Good value for money



CONVERSION HITCH COMBI, welded For bolted, see AGS on page 21


PRODUCT	ARTICLE NUMBER	COUPLINGS	PRICE (SEK)
OBF - COMBI	055-00148-000-00	S30-150 and S30-180	2 500
	055-00145-000-00	S30-150 and S40	2 700
	055-00146-000-00	S30-150 and S45	3 000
	055-00147-000-00	S30-150 and S50	3 000
OBF - COMBI	055-00149-000-00	S30-180 and S40	2 700
	055-00150-000-00	S30-180 and S45	3 000
	055-00151-000-00	S30-180 and S50	3 000
OBF - COMBI	055-02152-000-00	S40 and S45	3 400
	055-03153-000-00	S40 and S50	3 400
OBF - COMBI	055-00154-000-00	S45 and S60	4 600
	055-04155-000-00	S50 and S60	4 600
OBF - COMBI	055-09156-000-00	S60 and S70	6 800
OBF - COMBI	055-00158-000-00	S70 and S80	7 200
	055-00157-000-00	S60 and S80	7 300

A combi hitch makes things more flexible.




NOTE: Restricted use with grapple holder

Prices for other combinations are available on request



SWEDISH STANDARD				
Coupling	Shaft	Width	C-C	Previous name
S30/150	30	150	200	F01
S30/180	30	180	230	F07
S40	40	200	300	B10
S45	45	290	430	B12
S50	50	270	430	B14
S60	60	340	480	B16
S70	70	450	600	
S80	80	590	670	

OTHER OBF			
Coupling	Coupling	Shaft	Width
B20	S1	70	400
B27	S2	80	450
B27s		80	510
B30		100	630



TILT INTERMEDIATE HITCH The price for the shafts applies in conjunction with hitch purchases

PRODUCT Max. machine weight	ARTICLE NUMBER	COUPLING BENEATH	VERSION	PRICE (SEK)	PRICE (SEK) Direct con.	EXPANSION SHAFT (2x)
TMH 2	093-01101-000-80	S30-150	Mechanical	17 000	18 000	1 500
	093-01102-000-80	S30-180				1 500
	094-01101-000-80	S30-150				Direct con.
	090-01101-000-82	S30-150	Hydraulic	17 000	18 000	1 500
	090-01102-000-82	S30-180				1 500
	092-01101-000-82	S30-150				Direct con.
TMH 6	093-01104-000-80	S40	Mechanical	22 000	23 000	1 900
	094-01104-000-80				Direct con.	
	090-01104-000-82	S40	Hydraulic	22 000	23 000	1 900
	092-01104-000-82			Direct con.		
TMH 14	090-02107-000-82	S45	Hydraulic	ASK FOR PRICE	ASK FOR PRICE	Direct con.
	092-02107-000-82	S45				
	090-02109-000-82	S50				Direct con.
	092-02109-000-82	S50				
TMH 18	090-03111-000-82	S60	Hydraulic	ASK FOR PRICE	ASK FOR PRICE	Direct con.
	092-03111-000-82	S60				
TMH 22	090-04117-000-82	B20	Hydraulic	ASK FOR PRICE	ASK FOR PRICE	Direct con.
	092-04117-000-82	B20				
TMH 24	090-04113-000-82	S70	Hydraulic	ASK FOR PRICE	ASK FOR PRICE	Direct con.
	092-04113-000-82	S70				
TMH HD	090-05118-000-82	B27	Hydraulic	ASK FOR PRICE	ASK FOR PRICE	
	090-05119-000-82	B30				
	090-05114-000-82	S80				
TMH V12	600-00000-235-12		12 volt	8 000	8 000	
TMH V12 DIR	600-00000-234-12					
TMH V24	600-00000-235-24		24 volt	8 000	8 000	
TMH V24 DIR	600-00000-234-24					
TMH V consists of quick hitch hydraulics mounted on a coupling with 12 or 24 volt wiring.						


TMH 6


- Mechanical coupling with automatic locking
- Strong and good value for money
- TMH 2 and 6 have a single tilt piston



Upgraded version 2011

Tilt hitch TMM-TMH						
Type:	2	6	14	18	24	30
Width A: (mm)	180	250	320	350	430	560
Width B: (mm)	160	220	250	265	385	415-700
Width C: (mm)	80	100	250	265	385	415-700
Length D: (mm)	300	360	540	550	770	900
Height E: (mm)	180	220	310	340	580	630-875
Pistons	1		2			
Weight: (kg)	27	40	125	160	240	330
Basic machine weight: (tonnes)	0.8-2	2-6	4-14	12-18	18-24	22-32



PRICE LIST 2011

HYDRAULIC QUICK HITCH (for dimensions see below))


The price for the shafts applies in conjunction with hitch purchases

PRODUCT Max. machine weight	ARTICLE NUMBER	COUPLING BENEATH	MAX. WIDTH STICK (mm)	WEIGHT (kg)	LIFTING HOOK	PRICE (SEK)	EXPANSION SHAFT (2x)
SFH 2	082-01101-000-00 082-01102-000-00	S30-150 S30-180	118	9	Not included	5 900	1 500
SFH 3	082-01104-000-00	S40	138	22	Not included	7 800	1 700
SFH 6	082-01104-000-05	S40		35	Not included	8 900	1 900
SFH CRANE	081-01106-000-00	S40		22	Not included	11 000	PRICE ON REQUEST
SFH 14	082-02107-000-00 082-02109-000-00	S45 S50		50		21 400	
SFH 18	082-04111-000-00	S60		125		27 900	
SFH 24	082-05113-000-00	S70		170		37 900	
SFH 22	082-06117-000-00	B20		170		35 500	
SFH 30	082-07118-000-00	B27		160		42 500	
SFH 40	082-08114-000-00	S80		310		45 000	
SFH V12	600-00000-233-12		12 volt			4 200	
SFH V24	600-00000-233-24		24 volt			4 200	
SFH V is the valve for installation in the motor compartment or bucket arm; wiring is included. 12 or 24 volts							

POS	Description	mm
1	Ø Shaft diameter	
2	Hitch width (inside measurement)	
3	CC dimensions (centre shaft – centre shaft)	



Call us to ask about a package price



Quick hitch with mounting kit

Normal price of SFH6P: SEK 15 000

The kit includes:
Hitch, shafts, valve, wiring
1.2 m to 1.4 m hose with connection to the piston



MECHANICAL QUICK HITCH (for dimensions see above)

The price for the shafts applies in conjunction with hitch purchases

PRODUCT Max. machine weight	ARTICLE NUMBER	COUPLING BENEATH	MAX. WIDTH STICK (mm)	WEIGHT (kg)	AUTO close	LIFTING HOOK	PRICE (SEK)	EXPANSION SHAFT(2x)
SFM 2	080-01101-000-01 080-01102-000-02	S30-150 S30-180	118	9	YES	Not included	4 900	1 500
SFM 3	080-01104-000-02	S40	138	22	YES	"	6 800	1 700
SFM 6	080-01104-000-05	S40		35	YES	"	8 100	1 900
SFM CRANE	080-01106-000-02	S40		22	YES	"	10 800	PRICE ON REQUEST
SFM 14	080-02107-000-00 080-02109-000-00	S45 S50		75	NO		20 900	


SFM can be retrofitted with hydraulics. SFM = SEK 2400; SFM 3 and SFM 6 = SEK 2800.

• Robust and reliable • Can be adapted to all kinds of machinery • Reversible


DEEP-DIGGING BUCKET MADE FROM HARDOX 0-8 tonnes




Side A




Side B



Side C



Skeleton bucket + SEK 500



Hole bucket + SEK 500

Backhoe bucket + SEK 500

WE BUILD CUSTOM BUCKETS to suit YOUR ideas and dimensions, see page 45

PRODUCT Max. machine weight	ARTICLE NUMBER	RF rec. machine weight	COUPL- ING	TEETH	CAPACITY (SAE/l)	WIDTH (mm)	WEIGHT (kg)	PRICE (SEK)						
								Without teeth	With teeth					
SKD 1	100-00101-053-04	0.8	S30	Toothed	30	400	20		3 300					
	100-00101-070-04	1	S30	Kv M16	35	430	30		4 500					
	100-00104-070-04		S40											
SKD 2	100-01101-045-04	1.3	S30	Kv M16	35	430	35	5 000						
	100-01104-045-04		S40											
	100-02101-070-04	1.3	S30		35	430	45		6 500					
	100-02104-070-04		S40											
	100-03101-045-04	1.5	S30		55	430	45	5 300						
100-03104-045-04		S40												
SKD 3	100-04101-070-04	1.5	S30	Kv M16	55	430	55		7 000					
	100-04104-070-04		S40											
	100-05104-045-05	2	S40		70	520	55	5 500						
	100-06104-070-05	2	S40	Kv M16	70	520	65		7 200					
	100-07104-045-05	2.5	S40		90	520	65	5 600						
SKD 4	100-08104-070-05	2.5	S40	Kv M16	90	520	75		7 500					
	100-09104-045-06	3	S40		120	620	75	6 000						
	100-10104-070-06	3	S40	Kv M16	120	620	80		8 000					
	100-10104-055-06	3.5	S40	C-lock	120	620	80		10 000					
	100-11104-045-06	3.5	S40		160	620	80	6 200						
	100-12104-070-06	3.5	S40	Kv M16	160	620	100		8 200					
SKD 5	100-13104-045-07	4	S40	C-lock	200	720	100	6 500	10 000					
	100-13104-055-07													
	100-14104-045-07	4.5	S40	C-lock	240	720	120	7 500	10 500					
	100-14104-055-07													
SKD 6	100-15104-045-07	5.5	S40	C-lock	280	720	140	8 000	11 000					
	100-15104-055-07													
SKD 8	100-16107-045-07	5.5	S45	C-lock	200	700	130	9 500	13 000					
	100-16107-056-07		S45											
	100-16109-045-07		S50	C-lock										
	100-16109-056-07		S50											
	100-17107-045-07	5.5	S45	C-lock	240	720	150	10 000	13 500					
	100-17107-056-07		S45											
	100-17109-045-07		S50	C-lock										
	100-17109-056-07		S50											
100-18107-045-07	6	S45	C-lock	280	720	150	10 500	14 500						
100-18107-056-07		S45												
100-18109-045-07		S50	C-lock											
100-18109-056-07		S50												

TOOTH TIP

PRODUCT	ARTICLE NUMBER	WIDTH	PRICE (SEK)	TEETH
TSK K	025-00000-080-16	430	1 500	M16 Kverneland
	025-00000-081-16	520		
	025-00000-082-16	620		
TSK C2	025-00000-076-00	SKD 5-14	3 100	C-lock C1/C2
TSK C3	025-00000-077-00	SKD 16-22	4 400	C-lock C3 and C6



PRICE LIST 2011


DEEP-DIGGING BUCKET MADE FROM HARDOX 10-33 tonnes

PRODUCT Max. machine weight	ARTICLE NUMBER	RF rec. machine weight	COUPL- ING	TEETH	CAPACITY (SAE/l)	WIDTH (mm)	WEIGHT (kg)	PRICE (SEK)	
								Without teeth	With teeth
SKD 10	100-19107-045-07	7	S45	C-lock	320	700	160	11 000	15 500
	100-19107-056-07		S45						
	100-19109-045-07		S50	C-lock					
	100-19109-056-07		S50						
	100-20107-045-08	8	S45	C-lock	350	800	190	11 500	16 000
	100-20107-056-08		S45						
	100-20109-045-08		S50	C-lock					
	100-20109-056-08		S50						
	100-21107-045-08	9	S45	C-lock	400	800	200	12 000	16 500
	100-21107-056-08		S45						
	100-21109-045-08		S50	C-lock					
	100-21109-056-08		S50						
	100-22107-045-08	10	S45	C-lock	450	800	210	12 500	17 000
	100-22107-056-08		S45						
	100-22109-045-08		S50	C-lock					
	100-22109-056-08		S50						
SKD 12	100-23107-045-08	11	S45	C-lock	500	800	245	15 000	19 000
	100-23107-056-08		S45						
	100-23109-045-08		S50	C-lock					
	100-23109-056-08		S50						
	100-28111-045-08	12	S60	C-lock	450	800	255	15 000	19 000
	100-28111-056-08		S60						
SKD 14	100-29111-045-08	13	S60	C-lock	500	800	255	16 000	20 000
	100-29111-056-08		S60						
SKD 16	100-30111-045-09	14	S60	C-lock	550	900	325	20 000	23 000
	100-30111-056-09		S60						
	100-31111-045-09	15	S60	C-lock	600	900	350	21 500	27 500
	100-31111-056-09		S60						
SKD 18	100-31113-045-09	15	S70	C-lock	600	900	420	22 000	28 000
	100-31113-057-09		S70						
	100-32111-045-09	16	S60	C-lock	650	900	400	23 500	30 000
	100-32111-057-09		S60						
	100-32113-045-10	16	S70	C-lock	650	900	460	24 000	30 500
100-32113-057-10	S70								
SKD 20	100-33111-045-09	17	S60	C-lock	700	900	440	26 000	31 000
	100-33111-057-09		S60						
	100-33113-045-09	17	S70	C-lock	700	900	510	26 500	32 000
	100-33113-057-09		S70						
	100-34117-045-09	18	B20	C-lock	850	900	550	27 000	32 500
	100-34113-045-09		S70						
100-34113-057-09	S70								
SKD 22	100-35113-045-10	21	B20	C-lock	1100	1000	850	33 500	39 000
	100-34117-057-10		S70						
SKD 24	100-36118-045-10	24	B27	C-lock	1200	1000	950	37 000	45 000
	100-36118-057-10		S70						
SKD 30	100-37118-045-12	28	B27	C-lock	1400	1200	1100	50 000	56 000
	100-37118-067-12		B27						
	100-37114-045-12		S80	C-lock					
	100-37114-067-12								
SKD 33	100-38114-045-12	32	S80	C-lock	1400	1200	1200	51 000	57 000
	100-38114-067-12		S80						


WE BUILD CUSTOM BUCKETS to suit YOUR ideas and dimensions, see page 45

Heavy Duty = Price supplement of 25%


CABLE BUCKET – Narrow bucket made from HARDOX 0-14 tonnes



Side A





Side B



Side C



Straight


 Tapered
(Standard)


see page 18

PRODUCT Max. machine weight	SIDE ARTICLE NUMBER	side	RF rec. machine weight	COUPLING	CAPACITY (SAE/l)	WIDTH (mm)	WEIGHT (kg)	PRICE (SEK)	
SKK 1	200-01101-022-00	Blue	0.8	S30	25	200	15	2 300	
	200-01101-022-01	Blue	1.0		30	220	35	3 400	
SKK 2	200-01101-022-02	Blue			25	220	25	4 500	
	200-01101-020-02	Red			35	220	40	4 600	
	200-02101-020-03	Red			60	300	50	4 700	
	200-03101-000-05	Red			90	400	60	4 800	
SKK 4	200-01104-020-01	Blue	3.5	S40	30	220	35	3 500	
	200-01104-020-02	Red			35	220	40	4 800	
	200-02104-020-03	Red			60	300	50	4 900	
	200-03104-020-04	Red			90	400	60	5 000	
SKK 6	200-04104-020-02	Red	5.0		130	200	70	6 200	
	200-05104-020-03	Red			160	300	75	6 300	
	200-06104-020-04	Red			180	400	80	6 400	
	200-07104-020-05	Red			200	500	85	6 500	
SKK 10	200-04107-020-02	Red	6.5	S45 S50	130	200	70	8 200	
	200-04109-020-02	Red		S45 S50	160	300	75	8 400	
	200-05107-020-03	Red		S45 S50	180	400	80	8 600	
	200-05109-020-03	Red		S45 S50	200	500	85	8 800	
	200-06107-020-04	Red		S45 S50	240	600	95	9 000	
	200-06109 -020-04	Red		S45 S50	200	500	85	8 800	
	200-07107-020-05	Red		S45 S50	240	600	95	9 000	
	200-07109-020-05	Red		S45 S50	240	600	95	9 000	
SKK 12	200-08107-020-06	Red		S45 S50	200	200	95	10 400	
	200-08109-020-06	Red		S45 S50	250	300	110	10 600	
	200-09107-021-02	Yellow		S45 S50	275	400	120	10 800	
	200-09109-021-02	Yellow		S45 S50	300	500	140	11 000	
	200-10107-021-03	Yellow		S45 S50	330	600	150	11 200	
	200-10109-021-03	Yellow		S45 S50	350	700	160	11 800	
	200-11107-021-04	Yellow		S45 S50	250	300	110	12 800	
	200-11109-021-04	Yellow		S45 S50	275	400	120	12 600	
SKK 14	200-12107-021-05	Yellow		S60	300	500	140	12 800	
	200-12109-021-05	Yellow			330	600	150	13 000	
	200-13107-021-06	Yellow							
	200-13109-021-06	Yellow							

• Minimises energy consumption
skeleton bucket

• Good value for money

• Also manufactured as a

Heavy Duty = Price supplement of 25%

PRICE LIST 2011

CABLE BUCKET – Narrow bucket made from HARDOX 22-40 tonnes

PRODUCT Max. machine weight	SIDE ARTICLE NUMBER	side	COUPLING	CAPACITY (SAE/l)	WIDTH (mm)	WEIGHT (kg)	PRICE (SEK)
SKK 22	200-22111-020-03		S60	300	300	260	16 500
	200-23111-020-04			340	400	270	16 800
	200-24111-020-05			380	500	280	17 000
	200-25111-020-06			400	600	285	17 200
	200-25111-020-07			450	700	290	17 400
	200-26117-020-03		B20	300	300	295	17 200
	200-26113-020-03		S70				
	200-27117-020-04		B20	340	400	300	17 300
	200-27113-020-04		S70				
	200-28117-020-05		B20	380	500	310	17 400
	200-28113-020-05		S70				
	200-29117-020-06		B20	400	600	320	17 500
	200-29113-020-06		S70				
	200-29117-020-07		B20	450	700	325	18 000
	200-29113-020-07		S70				
SKK 24	200-30117-020-06		B20	400	600	400	18 800
	200-30118-020-06		B27				
	200-30113-020-06		S70				
	200-30117-021-06		B20	400	600	400	18 800
	200-30118-021-06		B27				
	200-30113-021-06		S70				
SKK 30	200-31117-021-06		B20	500	600	500	26 000
	200-31118-021-06		B27				
	200-31114-021-06		S80				
	200-32117-021-07		B20	600	700	600	28 500
	200-32118-021-07		B27				
	200-32119-021-07		B30				
	200-32114-021-07		S80				
SKK 33	200-34117-021-07		B20	850	700	750	41 800
	200-34118-021-07		B27				
	200-34119-021-07		B30				
	200-34114-021-07		S80				
SKK 35	200-35117-021-08		B20	900	800	800	43 400
	200-35118-021-08		B27				
	200-35119-021-08		B30				
	200-35114-021-08		S80				
SKK 40	200-37117-021-09		B20	900	900	900	51 000
	200-37118-021-09		B27				
	200-37119-021-09		B30				
	200-37114-021-09		S80				

WE BUILD CUSTOM BUCKETS to suit YOUR ideas and dimensions, see page 45



Made to order

Reinforced top

Reinforced sides


Ribbing




**HEAVY
DUTY**

Thicker
tip


GRADING BUCKET MADE FROM HARDOX 0-20 tonnes




Side A (Standard)




Side B



Side C



Straight



Profile (Standard)

PRODUCT Max. machine weight	ARTICLE NUMBER	RF rec. machine weight	COUP- LING	CAPACITY (SAE/l)	WIDTH (mm)	WEIGHT (kg)	WEAR PART	PRICE (SEK)
SKP 1	300-01101-000-07	0.8	S30	50	700	40		5 500
SKP 2	300-01101-000-08	1.0	S30	70	900	60		6 900
	300-01101-070-09	1.5		90	900	70		7 000
	300-01101-000-10	1.5		90	1000	70		7 000
	300-02101-000-09	2.0		110	900	80		7 100
	300-02101-000-10	2.0		110	1000	80		7 100
SKP 4	300-01104-000-08	2.0	S40	70	800	60	Optional	7 200
	300-01104-090-09			70	900	60		7 200
	300-01104-070-09			90	900	70		7 600
	300-01104-000-10			90	1000	70		7 600
SKP 4	300-02104-000-09	2.0	S40	110	900	80		8 000
	300-02104-000-10	2.0		110	1000	80		8 000
	300-03104-000-11	2.5		130	1100	90		8 400
	300-04104-000-11	3.0		160	1100	100		8 800
SKP 6	300-05104-000-12	3.5	S40	200	1200	110	Sweeper 300 mm	10 000
	300-06104-000-12	4.5		240	1200	115		10 500
	300-07104-000-13	5.5		300	1300	130		11 000
SKP 8	300-08107-000-12	5.5	S45	240	1200	125	Sweeper 300 mm	15 000
	300-08109-000-12	5.5	S50	240	1200	125		15 000
	300-09107-000-13	6.0	S45	300	1300	150		15 200
	300-09109-000-13	6.0	S50	300	1300	150		15 200
SKP 10	300-10107-000-14	7.0	S45	350	1400	170	Sweeper 300 mm	16 500
	300-10109-000-14	7.0	S50	350	1400	170		16 500
	300-11107-000-14	8.0	S45	400	1400	180		17 200
	300-11109-000-14	8.0	S50	400	1400	180		17 200
	300-12107-000-15	9.0	S45	450	1500	190		17 600
	300-12109-000-15	9.0	S50	450	1500	190		17 600
SKP 12	300-13107-000-15	10.0	S45	500	1500	210	Sweeper 300 mm	18 800
	300-13109-000-15		S50					
SKP 14	300-14107-000-15	11.0	S45	550	1500	220	Sweeper 300 mm	19 500
	300-14109-000-15		S50					
SKP 16	300-23111-000-15	14.0	S60	600	1500	350	Sweeper 300 mm	22 300
	300-23111-000-16				1600			
SKP 18	300-24111-000-16	14.0	S60	650	1600	360	Sweeper 300 mm	24 500
	300-25111-000-17	16.0	S60	750	1700	380		25 500
SKP 20	300-27117-000-16	14.0	B20	650	1600	390	Sweeper 300 mm	26 300
	300-28117-000-16	16.0		750		400		26 300
	300-31117-000-16	18.0		850		410		27 000
	300-32117-000-16	20.0		950		410		27 000

WE BUILD CUSTOM BUCKETS to suit YOUR ideas and dimensions, see page 45

Heavy Duty = Price supplement of 25%

PRICE LIST 2011

GRADING BUCKET MADE FROM HARDOX 22-38 tonnes

PRODUCT Max. machine weight	ARTICLE NUMBER	COUPLING	CAPACITY (SAE/l)	WIDTH (mm)	WEIGHT (kg)	WEAR PART	PRICE (SEK)
SKP 22	300-33111-006-17	S60	1000	1700	420	Ribbing	29 000
	300-33111-007-17	S60				Sweeper	
	300-33113-006-17	S70				Ribbing	
	300-33113-007-17	S70				Sweeper	
	300-33117-006-17	B20				Ribbing	
	300-33117-007-17	B20				Sweeper	
SKP 22	300-34113-006-18	S70	1100	1800	460	Ribbing	31 000
	300-34113-007-18	S70				Sweeper	
	300-34117-006-18	B20				Ribbing	
	300-34117-007-18	B20				Sweeper	
	300-34118-006-18	B27				Ribbing	
	300-34118-007-18	B27				Sweeper	
SKP 24	300-36113-006-18	S70	1200	1800	600	Ribbing	35 700
	300-36113-007-18	S70				Sweeper	
	300-36118-006-18	B27				Ribbing	
	300-36118-007-18	B27				Sweeper	
SKP 30	300-37113-006-18	S70	1300	1800	900	Ribbing	39 000
	300-37113-007-18	S70				Sweeper	
	300-37114-006-18	S80				Ribbing	
	300-37114-007-18	S80				Sweeper	
	300-37118-006-18	B27				Ribbing	
	300-37118-007-18	B27				Sweeper	
SKP 30	300-36113-006-20	S70	1400	2000	1000	Ribbing	41 000
	300-36113-007-20	S70				Sweeper	
	300-36114-006-20	S80				Ribbing	
	300-36114-007-20	S80				Sweeper	
	300-37118-006-20	B27				Ribbing	
	300-37118-007-20	B27				Sweeper	
SKP 33	300-38114-006-20	S80	1800	2000	1200	Ribbing	49 200
	300-38114-007-20	S80				Sweeper	
	300-38119-006-20	B30				Ribbing	
	300-38119-007-20	B30				Sweeper	
SKP 38	300-39114-006-20	S80	2000	2000	1400	Ribbing	59 000
	300-39114-007-20	S80				Sweeper	
	300-39119-006-20	B30				Ribbing	
	300-39119-007-20	B30				Sweeper	


WE BUILD CUSTOM BUCKETS to suit YOUR ideas and dimensions, see page 45




WEAR PARTS GRADING BUCKET SKP

WEAR PART	DESCRIPTION	SKP 1-6 Price(SEK)	SKP 8-14 Price(SEK)	SKP 16-38 Price(SEK)
Ribbing	Ribbing as extra wear part	2 200	3 400	4 800
Sweeper	Double sweeper as extra wear part	2 200	3 400	4 800
Sweeper 300 mm	300 mm as extra wear part	1 000	1 800	2 100


HYDRAULIC GRADING BUCKET MADE FROM HARDOX 0-6 tonnes




Side A (Standard)



Side B



Side C



Straight



Profile

PRODUCT Max. machine weight	ARTICLE NUMBER	RF rec. machine weight	PISTONS	COUP- LING	CAPACITY (SAE/l)	WIDTH (mm)	WEIGHT (kg)	PRICE (SEK)				
SKH 1	400-00101-090-10 400-00101-010-09	0.8-1.0	Single	S30	40 55	800 900	40	12 400				
SKH 2	400-01101-010-10 400-01101-011-10 400-01101-012-10 400-01104-010-10 400-01104-011-10 400-01104-012-10	1.5	Single Double Vertical single	S30	70	1000	80	14 600 17 000 18 000				
	Single Double Vertical single		S40	14 600 17 000 18 000								
	400-01101-010-02 400-01101-011-01 400-01101-012-03 400-01104-010-11 400-01104-011-10 400-01104-012-11		2.0	Single Double Vertical single				S30	90	1000	95	14 600 17 000 18 000 14 600 17 000 18 000
	Single Double Vertical single	S40		14 600 17 000 18 000								
	400-02101-010-10 400-02101-011-10 400-02101-012-10 400-02104-010-10 400-02104-011-10 400-02104-012-10	2.0		Single Double Vertical single	S30	110	1000	105				14 600 17 000 18 000 14 600 17 000 18 000
	Single Double Vertical single		S40	14 600 17 000 18 000								
	400-03104-010-11 400-03104-011-11 400-03104-012-11		3.0	Single Double Vertical single	S40				130	1100	110	15 500 18 600 19 600
	Single Double Vertical single	S40		160	1100	115	15 500 18 600 19 600					
	400-04104-010-11 400-04104-011-11 400-04104-012-11	4.0		Single Double Vertical single	S40	200	1200	130				16 400 20 000 21 000
	Single Double Vertical single		S40	240	1200				145	16 400 20 000 21 000		
	400-05104-010-12 400-05104-011-12 400-05104-012-12		5.5	Single Double Vertical single	S40				300	1300	165	17 800 21 000 22 000
	400-06104-010-12 400-06104-011-12 400-06104-012-12	4.0		Single Double Vertical single	S40	240	1200	155				17 800 21 000 22 000
	400-07104-010-13 400-07104-011-13 400-07104-012-13			5.5	Single Double Vertical single							S40
	400-08107-010-12 400-08107-011-12 400-08107-012-12 400-08109-010-12 400-08109-011-12 400-08109-012-12		5.5		Single Double Vertical single				S45	240	1200	155
	Single Double Vertical single	S50			17 800 21 000 22 000							

PRICE LIST 2011

HYDRAULIC GRADING BUCKET MADE FROM HARDOX 8-33 tonnes

PRODUCT Max. machine weight	ARTICLE NUMBER	PISTONS	COUPLING	CAPACITY (SAE/l)	WIDTH (mm)	WEIGHT (kg)	PRICE (SEK)
SKH 8	400-09107-010-13	Single	S45	300	1300	190	18 800
	400-09107-011-13	Double					22 000
	400-09107-013-13	Vertical double					25 000
	400-09109-010-13	Single	S50				18 800
	400-09109-011-13	Double					22 000
	400-09109-013-13	Vertical double					25 000
SKH 10	400-10107-010-14	Single	S45	400	1400	205	19 500
	400-10107-011-14	Double					22 600
	400-10107-013-14	Vertical double					25 600
	400-10109-010-14	Single	S50				19 500
	400-10109-011-14	Double					22 600
	400-10109-013-14	Vertical double					25 600
SKH 12	400-11107-011-15	Double	S45	500	1500	250	23 600
	400-11107-013-15	Vertical double					27 000
	400-11109-011-15	Double	S50				23 600
	400-11109-013-15	Vertical double					27 000
SKH 14	400-18111-011-16	Double	S60	650	1600	550	34 600
	400-18111-013-16	Vertical double					39 000
SKH 16	400-19111-011-17	Double	S60	750	1700	600	35 800
	400-19111-013-17	Vertical double					40 000
SKH 18	400-24113-011-16	Double	S70	700	1600	650	41 000
	400-24113-013-16	Vertical double					51 000
	400-24117-011-16	Double	B20				41 000
	400-24117-013-16	Vertical double					51 000
SKH 20	400-25111-011-17	Double	S60	850	1700	700	43 000
	400-25113-011-17	Double	S70				43 000
	400-25113-013-17	Vertical double					53 000
	400-25117-011-17	Double	B20				43 000
	400-25117-013-17	Vertical double					53 000
SKH 24	400-26113-011-18	Double	S70	1200	1800	850	52 000
	400-26117-011-18	Double	B20				52 000
	400-26117-013-18	Vertical double					58 000
		400-26113-013-20	Vertical double	S70	1200	2000	850
	400-26117-013-20	Vertical double	B20	58 000			
SKH 30	400-28114-011-18	Double	S80	1400	1800	1300	64 000
	400-28114-013-18	Vertical double					70 000
	400-28118-011-18	Double	B27				64 000
	400-28118-013-18	Vertical double					70 000
SKH 33	400-29114-011-20	Double	S80	1400	2000	1300	70 000
	400-29114-013-20	Vertical double					80 000
	400-29119-011-20	Double	B30				70 000
	400-29119-013-20	Vertical double					80 000

SKH 6





CLEARING BUCKET

PRODUCT Max. machine weight	ARTICLE NUMBER	COUPLING	CAPACITY (SAE/l)	WIDTH (mm)	WEIGHT (kg)	PRICE (SEK)	TILT DOUBLE PISTONS
SKM 6	301-06104-000-15	S40	300	1500	150	17 000	+ 8 000
SKM 10	301-10107-000-18	S45	400	1800	230	18 500	+ 8 000
SKM 14	301-14107-000-22 301-14109-000-22 301-14111-000-22	S45 S50 S60	500	2200	320	22 000	+ 9 000
SKM 22	301-22111-000-25 301-22117-000-25	S60 B20	850	2500	840	30 000	+ 10 000
SKM 24	301-24111-000-30 301-24113-000-30 301-24117-000-30 301-24118-000-30	S60 S70 B20 B27	1100	3000	1000	43 000	+ 10 000



CABLE BUCKET IN PROFILE Adapted for rotortilt/tilt rotator

PRODUCT Max. machine weight	ARTICLE NUMBER	COUPLING	CAPACITY (SAE/l)	WIDTH BOTTOM (mm)	WIDTH TOP (mm) MIN.	WEIGHT (kg)	PRICE (SEK)
SK2 4	201-04104-020-02	S40	60	200	420	50	6 100
	201-04104-020-03		90	300	520	60	6 400
	201-04104-020-04		100	400	620	70	6 600
SK2 6	201-06104-020-02	S40	160	200	500	70	7 700
	201-06104-020-03		180	300	600	80	8 000
	201-06104-020-04		200	400	700	90	8 800
SK2 10	201-10107-020-02	S45	180	200	500	90	9 500
	201-10107-020-03		200	300	600	100	10 000
	201-10107-020-04		220	400	700	110	10 500
	201-10109-020-02	S50	180	200	500	90	9 500
	201-10109-020-03		200	300	600	100	10 000
	201-10109-020-04		220	400	700	110	10 500
SK2 12	201-12107-021-03	S45	280	300	600	120	11 500
	201-12107-021-04		300	400	700	130	12 000
	201-12107-021-05		320	500	800	140	12 500
	201-12109-021-03	S50	280	300	600	120	11 500
	201-12109-021-04		300	400	700	130	12 000
	201-12109-021-05		320	500	800	140	12 500
SK2 14	201-14111-021-03	S60	280	300	600	150	12 500
	201-14111-021-04		300	400	700	160	13 000
	201-14111-021-05		320	500	800	170	13 500
SK2 22	201-22111-021-03	S60	380	300	700	270	19 500
	201-22111-021-04		400	400	800	280	20 000
	201-22111-021-05		420	500	900	290	20 500
	201-22113-021-03	S70	380	300	700	290	20 000
	201-22113-021-04		400	400	800	300	20 500
	201-22113-021-05		420	500	900	310	21 000
	201-22117-021-03	B20	380	300	700	310	20 500
	201-22117-021-04		400	400	800	320	21 000
	201-22117-021-05		420	500	900	330	21 500
	201-22118-021-03	B27	380	300	700	330	21 000
	201-22118-021-04		400	400	800	340	21 500
	201-22118-021-05		420	500	900	350	22 000

PRICE LIST 2011

THREE IN ONE BUCKET – Hardox. Used with the rotortilt

Grading, V-profile and narrow bucket

Teeth not included in price

PRODUCT Max. machine weight	ARTICLE NUMBER	COUPLING	CAPACITY (SAE/l)	WIDTH (mm)	WEIGHT (kg)	PRICE (SEK)
SK3 3	003-02101-000-10 003-02104-000-10	S30 S40	100	1000x150x300	110	11 000
SK3 4	003-03104-000-11	S40	150	1100x200x400	135	14 300
SK3 6	003-05104-000-12 003-05107-000-12 003-05109-000-12	S40 S45 S50	250	1200x200x500	175	15 500
SK3 10	003-08107-000-13 003-08109-000-13	S45 S50	400	1300x250x600	280	22 500
SK3 14	003-13107-000-14 003-13109-000-14 003-13111-000-14 003-13117-000-14	S45 S50 S60 B20	550	1400x250x700	350	26 500 26 500 26 500 28 300
SK3 18	003-16111-000-15 003-16113-000-15 003-16117-000-15	S60 S70 B20	700	1500x300x800	470	30 000
SK3 22	003-20111-000-16 003-20113-000-16 003-20117-000-16	S60 S70 B20	850	1600x300x900	520	33 000



- Can be used as a trench bucket
- Effective combi bucket
- Sharp corners (for gravel and crushed rock)



Heavy Duty = Price supplement of 25%

V-PROFILE BUCKET IN HARDOX Teeth not included in price

PRODUCT Max. machine weight	ARTICLE NUMBER	COUPLING	CAPACITY (SAE/l)	WIDTH (mm)	WEIGHT (kg)	PRICE (SEK)
SKV 2	450-00101-000-09	S30	60	900	60	10 500
SKV 3	450-01104-000-12	S40	120	1200	100	12 500
SKV 4	450-02104-000-13		140	1300	115	13 500
SKV 6	450-03104-000-14 450-03107-000-14 450-03109-000-14	S40 S45 S50	200	1400	135	14 500
SKV 8	450-04104-000-14 450-04107-000-15	S40 S45	250	1500	160	16 500
SKV 10	450-05107-000-17	S45	450	1700	270	20 000
SKV 16	450-09111-000-18	S60	550	1800	350	24 000
SKV 18	450-11113-000-18 450-11117-000-18	S70 B20	550	1800	350	26 000
SKV 22	450-12113-000-22 450-12117-000-22	S70 B20	650	2200	440	30 000
SKV 30	450-13114-000-26	S80	1100	2600	800	49 000

WE BUILD CUSTOM BUCKETS to suit YOUR ideas and dimensions, see page 45

Heavy Duty = Price supplement of 25%



Special design

SKELETON BUCKET, BACKFILL & MUD BUCKET

Also available as a deep-digging bucket and cable bucket

A toothed SKG entails an additional charge

Heavy Duty = Price supplement of 25%

PRODUCT Max. machine weight	ARTICLE NUMBER	RF rec. mach. weight	COUPLING	Bars Distance	CAPACITY (SAE/l)	WIDTH (mm)	WEIGHT (kg)	PRICE (SEK)
SKG 1	500-01101-000-07	0.8	S30	25	40	700	40	7 000
	500-01101-000-08				60	800	55	
	500-01104-000-08		S40		60	800	55	
SKG 2	500-01104-000-10	1.5	S40	25	90	1000	80	7 900
SKG 3	500-01104-000-11	2.0			140	1100	128	8 200
SKG 4	500-02104-000-12	3.5			240	1200	210	9 200
SKG 6	500-03104-000-13	5		30	300	1300	240	10 200
SKG 8	500-03107-000-13	7	S45	40	300	1300	250	12 700
	500-04107-000-14				400	1400	280	
	500-03109-000-13		S50		300	1300	250	
	500-04109-000-14				400	1400	280	
SKG 14	500-05107-000-14	10	S45	45	475	1400	320	17 500
	500-05109-000-14	11	S50		475	1400	320	
	500-06107-000-15	13	S45		550	1500	380	
	500-06109-000-15	13	S50		550	1500	380	
SKG 16	500-06111-000-15	14	S60	45	550	1500	410	18 500
SKG 18	500-13111-000-16	16	S60		750	1600	420	24 000
SKG 20	500-13113-000-16	17	B20		750	1600	420	25 500
SKG 22	500-13111-000-18		S60	50	850	1800		26 500
	500-15117-000-18		B20					
SKG 24	500-15117-350-18		B20	50	900	1800	550	33 000
	500-15118-000-18		B27					
	500-15113-000-18		S70					
SKG 35	500-16118-000-20		B27	60	1200	2000	900	43 000
	500-16113-000-20		S70					
	500-16114-000-20		S80					
SKG 40	500-17114-000-20		S80		1400	2000	1200	56 000
	500-17119-000-20		B30					

Tiltable – Ask for a QUOTE

- Very useful as a backfill bucket
- Used to soften the surface for seeding etc.
- A shaker can be attached
- For use under compactor (GVU)

Standard

SKG 4

- Customisable dimensions between the bars
- Easy to affix grid for different fractions
- Possible to see through the bucket

STONE AND SORTER BUCKET

Ask for A QUOTE

GRID and SHAKER for assembly in the skeleton bucket

PRODUCT Max. machine weight	ARTICLE NUMBER	GRID	PRICE (SEK)	ARTICLE NUMBER	SHAKER with MOTOR without grid PRICE (SEK)
SKG 1-6	027-00000-360-25	25x25	3 300	026-01000-000-00	11 000
	027-00000-360-30	30x30			
	027-00000-360-40	40x40			
SKG 8-14	027-00000-361-25	25x25	4 200	026-01300-000-00	11 000
	027-00000-361-30	30x30			
	027-00000-361-40	40x40			
SKG 16-35	027-00000-362-25	25x25	4 700	026-04000-000-00	12 100
	027-00000-362-30	30x30			
	027-00000-362-40	40x40			

Other sizes available on request

COMBI 4 IN 1 BUCKET

PRODUCT Max. machine weight	ARTICLE NUMBER	COUPLING	CAPACITY (SAE/l)	WIDTH (mm)	WEIGHT (kg)	PRICE (SEK)
SK4 3	420-03101-000-10 420-03104-000-10	S30 S40	110	1000	130	26 000
SK4 6	420-06104-000-11	S40	160	1100	180	29 000
SK4 8	420-08104-000-12 420-08107-000-12 420-08109-000-12	S40 S45 S50	300	1200	240	32 500
SK4 12	420-12107-000-14 420-12109-000-14	S45 S50	400	1400	280	39 500
SK4 16	420-16107-000-15 420-16109-000-15	S45 S50	500	1500	450	43 500
SK4 18	420-18111-000-16 420-18113-000-16	S60 S70	650	1600	550	48 500
SK4 20	420-20111-000-16 420-20113-000-16	S60 S70	850	1600	750	54 000

All combi buckets are available as a cable bucket or in a different width to those listed in the table. Contact one of our sales representatives to get a quote.



SK4 12

• Demolition work

Heavy Duty = Price supplement of 25%



• Sorting



Capacity: 500 L
Width: 1400 mm

• Pulling up/planting trees etc.

MACHINE HITCH welded or bolted

PRODUCT	WELDED	BOLTED	MAX. LOAD (tonnes)	COUPLING	PRICE (SEK)
AGS	104-00101-000-00 104-00102-000-00 104-00104-000-00	105-00101-000-00 105-00102-000-00 105-00104-000-00	1	S30-150 S30-180 S40	3 600
AGS	104-00107-000-00 104-00109-000-00	105-00107-000-00 105-00109-000-00	2.5	S45 S50	4 400
AGS	104-00111-000-00	105-00111-000-00	4	S60	5 500
AGS	104-00117-000-00 104-00113-000-00	105-00117-000-00 105-00113-000-00	4	B20 S70	9 900



FORK SET with adjustable forks

PRODUCT Max. machine weight	ARTICLE NUMBER	COUPLING	LOAD (tonnes)	WIDTH (mm)	WEIGHT (kg)	PRICE (SEK)
GAF 6	115-02101-342-10 115-02104-342-10	S30 S40	1.9	1000	140	11 500
GAF 8	115-03107-342-12 115-03109-342-12	S45 S50	1.9	1200	190	12 500
GAF 12	115-05107-343-12 115-05109-343-12	S45 S50	2.5	1200	200	14 500
GAF 18	115-10111-344-12	S60	4	1200	340	17 500
GAF 20	115-15116-344-12 115-15117-344-12 115-15118-344-12 115-15113-344-12	B18 B20 B27 S70	4	1200	420	23 500
GAF 24	115-16117-345-12 115-16118-345-12 115-16119-345-12 115-16114-345-12	B20 B27 B30 S80	5	1200	440	28 500

Fork length, standard 1.9 tonnes: 1000 mm, others: 1200 mm

Prices for other fork lengths available on request: 800, 1000, 1200, 1400, 1600 mm, etc.

- Lifting capacity of 1.9 to 5 tonnes
- S30 to S80 and B18 to B30
- Good value for money
- Lightweight
- Adapted to rotortilt
- Easy to connect
- Mechanically adjustable



GAF 18



TJR 30

FROST RIPPER

PRODUCT Max. machine weight	ARTICLE NUMBER	COUPLING	DEPTH (mm)	THICKNESS (mm)	WEIGHT (kg)	RIBBED	TEETH	PRICE (SEK)
TJR 2	120-00101-000-04 120-00102-000-04	S30 S30-180	400	30	25		C-lock C0	4 000
TJR 4	120-01101-000-05 120-01104-000-05	S30 S40	500	50	50		C-lock C0	5 500
TJR 6	120-02104-000-06	S40	600	50	75		C-lock C0	6 000
TJR 8	120-04107-000-07 120-04109-000-07	S45 S50	700	50	100		C-lock C1	6 500
TJR 12	120-05107-000-07 120-05109-000-07	S45 S50	700	70	160		C-lock C2	7 300
TJR 14	120-06111-000-09	S60	900	70	250		C-lock C3	12 000
TJR 20	120-07111-000-10 120-10117-000-10	S60 B20	1000	100	390		CAT 5	19 000 20 000
TJR 24	120-11118-000-10 120-08113-000-10	B27 S70	1000	100	390		CAT 5	21 000
TJR 30	120-12117-000-12 120-12118-000-12 120-12113-000-12	B20 B27 S70	1200	130	400	X	CAT 5	24 000
TJR 35	120-12114-000-12 120-12119-000-12	S80 B30	1200	130	500	X	CAT 5	25 000
TJR 40	120-13114-000-14 120-13119-000-14	S80 B30	1400	130	800	X	CAT 6	34 000

Other types of toothed system on request

- What to use when you need some extra force
- Proven design
- Stable
- Stone breakers and crushers
- Good value for money

PRICE LIST 2011

LEVELLING BAR Excavator

PRODUCT Max. machine weight	ARTICLE NUMBER	COUPLING	WIDTH (mm)	WEIGHT (kg)	PRICE (SEK)
AVB 8	070-00104-000-18	S40	1800	200	23 400
	070-00104-000-21		2100	300	23 400
	070-00107-000-21	S45	2100	300	30 400
	070-00107-000-22		2200	420	30 400
	070-00109-000-21	S50	2100	300	30 400
	070-00109-000-22		2200	420	30 400
AVB 24	070-00107-000-25	S45	2500	420	30 400
	070-00107-000-27		2700	470	30 400
	070-00109-000-25	S50	2500	420	30 400
	070-00109-000-27		2700	470	30 400
	070-00111-000-25	S60	2500	420	31 500
	070-00111-000-27		2700	470	31 500
	070-00113-000-25	S70	2500	420	35 900
	070-00113-000-27		2700	470	35 900
	070-00117-000-25	B20	2500	420	35 900
	070-00117-000-27		2700	470	35 900
BRUSH	071-00000-000-18		1800		17 700
	071-00000-000-21		2100		
	071-00000-000-25		2500		
	071-00000-000-27		2700		
SCRAPER	073-00000-000-18		1800		9 900
	073-00000-000-21		2100		
	073-00000-000-25		2500		
	073-00000-000-27		2700		
LASER HOLDER	076-00000-000-00			7	950
SLOPE METER	074-00000-000-00			1	3 300
SLOPE METER HOLDER	075-00000-000-00			11	1 700
DOZER BLADE	072-00000-000-00		1800-2700	110	PRICE ON REQUEST

More variants, couplings and widths available!

- A good tool for getting a precise and even surface
- Roller for support when affixing or removing
- Brush so that the surface will be more even
- Scrapers so that sticky substances do not get stuck on the roller

- Options include scraper, dozer blade, slope meter and brush



SLOPE METER



HOLDER



- Hitch for all types of excavator attachments



- Tractor attachment



- Loader attachment
- Compact loader attach-

CABLE EQUIPMENT

RIPPER TOOTH

Other sizes and models available on request

PRODUCT Max. machine weight	ARTICLE NUMBER	COUPLING	THICKNESS (mm)	HEIGHT (mm)	WEIGHT (kg)	TEETH	PRICE (SEK)
KPR 14	126-03107-063-10 126-03109-063-10	S45 S50	70	1000	270	UNI-Z 4	12 500
KPR 24	126-06117-063-10 126-06111-067-10 126-06113-067-10	B20 S60 S70	100	1000	380	CAT 5	19 000

Drawbar eye + SEK 1100

- Flexible
- Makes pre-ploughing more efficient

Extended ripper tooth + SEK 800 per 100 mm

CULTIVATOR FOR CABLE PLOUGH

Extended cultivator + SEK 800 per 100 mm

PRODUCT Max. machine weight	ARTICLE NUMBER	COUPLING	THICKNESS (mm)	HEIGHT (mm)	WEIGHT (kg)	PRICE (SEK)
KPF 6	127-01104-061-06 127-01107-061-06 127-01109-061-06	S40 S45 S50	50	650	180	10 000
KPF 10	127-02107-062-10 127-02109-062-10	S45 S50	50	1000	220	16 500
KPF 12	127-03107-063-10 127-03109-063-10	S45 S50	70	1000	250	17 600
KPF 14	127-04107-063-10 127-04109-063-10	S45 S50	70	1000	300	18 700
KPF 18	127-05111-063-10	S60	70	1000	330	19 800
KPF 20	127-06113-063-10 127-06117-063-10 127-06118-063-10	S70 B20 B27	70	1000	370	26 500

KPF 14

KPH 50

Revolving mechanical upper coupling + SEK 3600

- Very good value for money
- A cultivator that can withstand hard work
- Outlet for towing rope
- Outlet for downward routing of hose and earthing wire

CULTIVATOR with hydraulic screw operation

PRODUCT Max. machine weight	ARTICLE NUMBER	COUPLING	PRICE (SEK)
KPH 6	129-01104-061-06	S40	60 000
KPH 12	129-02107-063-10 129-02109-063-10	S45 S50	65 000
KPH 18	129-04111-063-06	S60	70 000

KPH 12

- Facilitates cable and hose ploughing
- Better balance between the plough and the machine
- Effective against roots and other vegetation

LAYER TUBE with marking tape holder

PRODUCT	ARTICLE NUMBER	DESCRIPTION	TRENCHES	PRICE (SEK)
KPL 01	128-01000-410-06	Id 30x650 Complete	1 openable, 1 fixed	13 400
KPL 02	128-02000-410-10	Id 30x1000 Complete	2 openable, 1 fixed	16 400
KPL 03	128-03000-411-10	Id 40x1000 Complete	2 openable, 1 fixed	17 500
KPL 04	128-04000-412-10	Id 50x1000 Complete	2 openable, 1 fixed	18 100
KPL 05	128-05000-413-10	Id 60x1000 Complete	2 openable, 1 fixed	18 600
KPL 06	128-06000-414-10	Id 70x1000 Complete	2 openable, 1 fixed	19 200
KPL 07	128-07000-415-10	Id 95x1000 Complete	2 openable, 1 fixed	20 800
KPL 08	128-08000-416-10	Id 120x1000 Complete	2 openable, 1 fixed	28 500

Extended layer tube + SEK 600 per 100 mm

- Made from HARDOX and stainless steel
- Fixed channel for tracking line
- Available with extra channel
- Can be opened at the back
- Cable and hose easy to put in and take out

Visiting address: Furutorpsgatan 6, Vinslöv

Postal address: Industrigatan 16, SE-288 32, Vinslöv

PRICE LIST 2011

DISC GRINDER For groove cutting etc.

PRODUCT	DIAMETER (mm)	Machine size 7-50 tonnes	TYPE
STF 15100	1500x100	Direct connection	Groove cutter
STF 1870	1800x70	Direct connection	Groove cutter

- Standard ripper teeth
- Asphalt, stumps, frozen soil or loosening
- Special sizes can be manufactured

Complete 15100 as shown, and specification as per the table costs around SEK 165 000

STF 15100



PLB

ASPHALT GRINDER

PRODUCT	ARTICLE NUMBER	CUTTING WIDTH (mm)	CUTTING DEPTH (mm)	FLOW (l/min)	ROTATION (degrees)	WEIGHT (kg)	HYDRAULIC PRESSURE (bar)	PRICE (SEK)
PLB	140-00000-000-03	300	0-100	40-75	135	290	140-300	ASK FOR PRICE
PLB	140-00000-000-04	450	0-150	65-140	130	580	140-300	ASK FOR PRICE
PLB	140-00000-000-06	600	0-150	90-200	120	940	140-300	ASK FOR PRICE

HIGH-SPEED CUTTER

Coupling not included, see AGS on page 21

150-00220-132-20



HSF 20H

Machine weight 1.4 to 2.5 tonnes for mini diggers & excavators. Coupling not included. 30-45 l/min, 75 kg.

SEK 45 000

150-00220-133-65



HSF 65

Machine weight 12 to 20 tonnes for excavators. Coupling not included. 600 kg, 100-130 l/min

SEK 122 000

150-00220-000-27



HSF 27

Machine weight 2.5 to 7 tonnes for mini diggers & excavators. Coupling not included. 40-60 l/min, 125 kg

SEK 60 000

150-00220-131-27



HSF 27S

Machine weight 1.8 to 7 tonnes for loaders. Coupling not included. Rotatable. 45-65 l/min 175 kg

Price on request

150-00220-132-50



HSF 50

Machine weight 4.5 to 14 tonnes for mini diggers & excavators. Coupling not included. 80-130 l/min, 200 kg

SEK 80 000



HSF 27T, for tractor assembly 25-60 hp Weight 360 kg 150-00220-132-27

Price on request

HSF 65T, for tractor assembly. 68-102 hp. Weight 700 kg 150-00220-132-65

Price on request

BALLAST TAMPER. Complete with vibrating unit

PRODUCT	RECOMMENDED MACHINE WEIGHT (min.-max. tonnes)	ARTICLE NUMBER	COUPLING	WEIGHT (kg)	COMPACTION FORCE (kg)	PRICE (SEK)
RST 02	3-10	160-02104-000-00	S40	370	3500	132 000
RST 03	12-24	160-03104-000-00 160-03107-000-00 160-03109-000-00 160-03111-000-00 160-03113-000-00 160-03117-000-00	S40 S45 S50 S60 S70 B20	430	7500	145 000
ADJUSTING PLATE		163-00000-000-09	From 455 mm to 390 mm sleeper depth			2 000



MVP plate with coupling for ballast tamper arms for compacting road bed etc. See p. 38

- Lightweight
- Low noise level
- Adjustable clamping force
- Adjustable arms
- Can be adapted to any machine
- Upgraded
- Good value for money



RST 03



Machine hitch not included, see p.21

DOUBLE BALLAST TAMPER. Double tamper with vibrating unit

PRODUCT	RECOMMENDED MACHINE WEIGHT (min.-max. tonnes)	ARTICLE NUMBER	COUPLING	WEIGHT (kg)	COMPACTION FORCE (kg)	PRICE (SEK)
RST 0202	12 - 18	161-00107-000-02 161-00109-000-02 161-00111-000-02	S45 S50 S60	870	3500 + 3500	286 000
RST 0303	14-24	161-00000-000-03	Extra charges	1100	7500 + 7500	325 000
ADJUSTING PLATE		163-00000-000-09	From 455 mm to 390 mm sleeper depth			2 000

Rotatable tamper +SEK 75000

Turnable when passing sidings.

- Upgraded bearing on vibrating unit
- Lightweight
- Low noise level
- Adjustable clamping force
- Adjustable arms
- Can be adapted to any machine



RSTV 0303



RST 0202

BALLAST TAMPER. For compactor


With coupling to vibrating unit

PRODUCT	RECOMMENDED MACHINE WEIGHT (min.-max. tonnes)	ARTICLE NUMBER	COUPLING	WEIGHT (kg)	PRICE (SEK)
RST 04	14 - 24	160-04107-000-00	S45	360	85 000
		160-04109-000-00	S50		
		160-04111-000-00	S60		
ADJUSTING PLATE		163-00000-000-09	From 455 mm to 390 mm sleeper		2 000

- Lightweight
- Low noise level
- Adjustable clamping force
- Adjustable arms
- Can be adapted to any machine
- Good value for money



Compactor, page 38



SLEEPER CHANGING UNIT

PRODUCT	RECOMMENDED MACHINE WEIGHT	ARTICLE NUMBER	TYPE	WEIGHT (kg)	PRICE (SEK)
RBS	10-24	155-00000-000-01	For rotortilt	400	90 000
RBS	10-24	155-00000-000-02	With rotator		PRICE ON REQUEST



- Lightweight, made from HARDOX
- Rational in use
- Adapted to rotortilt
- Adjustable depth
- Safe lifting of load-holding valve

SLEEPER LAYER with adjustable CC dimensions. For all types of sleepers

PRODUCT	RECOMMENDED MACHINE WEIGHT	ARTICLE NUMBER	NUMBER OF SLEEPERS (max.)	WEIGHT(kg)	PRICE (SEK)
RUS 03	12-24	156-00000-000-03	3	480	PRICE ON REQUEST
RUS 04		156-00000-000-04	4	480	PRICE ON REQUEST
RUS 06	16-24	156-00000-000-06	6	750	PRICE ON REQUEST



RUS 03

Extension for laying under rails



- Lightweight
- Available with or without rotator
- Safe lifting of load-holding valve
- Grapple arms made from HARDOX
- Rational laying

- Length: 2400 mm
- Width: 580 mm
- Height: 500 mm
- Weight: 480 kg

RUS 04



LID OPENER

Machine hitch not included, see p. 21 AGS

PRODUCT	ARTICLE NUMBER	RECOMMENDED MACHINE WEIGHT	TYPE	WEIGHT (kg)	PRICE
LÖP 02	170-02000-206-00	4 - 24	Swivelling hitch	235	PRICE ON REQUEST
LÖP 05	170-05000-000-00	4 - 24		210	PRICE ON REQUEST

- For laying cable or hose in an existing cable trench
- Opens and closes in a single movement



- Length: 2825 mm
- Width: max. 630 mm
- Height: 745 mm
- Weight: 235 kg
- Trench lid width: 355-535 mm
- Trench wall thickness: 50-70 mm
- Lid thickness: max. 65 mm



LÖP 05

CABLE LID GRAPPLE

Machine hitch not included, see p. 21 AGS

PRODUCT	ARTICLE NUMBER	MAX. LOAD (kg)	WEIGHT (kg)	FOR TRENCH LID (mm)	WIDTH (mm)	PRICE (SEK)
GRL	315-00000-000-80	800	75	750-800	320	39 000

Acc. not included

- Lifts all, or parts of pallet-stacked cable/trench lids
- For laying new and old lids
- For transporting and placing lids in cable trenches
- Load-holding valve



GRL

SLEEPER GRAPPLE

PRODUCT	ARTICLE NUMBER	COUPLING	MAX. LOAD (kg)	WEIGHT (kg)	OPENS (mm)	WIDTH (mm)	PRICE (SEK)
KSG 05	172-05101-000-00	S30	800	75	330	200	28 000
	172-05104-000-00	S40					
KSG 10	172-05107-000-00	S45	1000	75	330	200	28 000
	172-10109-000-00	S50	1000	95	330	200	29 000
KSG 15	172-15111-000-00	S60	1500	115	330	200	32 000

- Used for handling sleepers
- Rubber-coated surfaces protect sleepers
- Load-holding valve

GRAPPLES and GRAPPLE BUCKETS ON PAGES 35-36

- Rail work
- Curbstone work
- Timber
- Stone work
- Demolition work
- Sorting work



GRI 42



KSG 10

Railway wagon



Railway wheels



For the railway!



See special catalogue



Rail wheel with or without shaft



LEVELLING PLOUGH

PRODUCT	ARTICLE NUMBER	COUPLING	WEIGHT (kg)	WIDTH (mm)	PRICE (SEK)
AVP	178-00107-000-01	S45	170	800	24 000
	178-00109-000-01	S50			
	178-00111-000-01	S60			

- Excavator
- For ballast, gravel, etc.
- Easy to use
- With or without rubber blades



AVP

SWEEPER ROLLER Available for loaders. Machine hitch not included, see p. 21 AGS

PRODUCT	ARTICLE NUMBER	BRISTLES (mm)	WIDTH (mm)	WEIGHT (kg)	PRICE (SEK)	2 DRIVES (additional charge)	BALLAST
SKB 10	190-00000-000-10	900	1000	280	40 000	6 000	PRICE ON REQUEST
SKB 15	190-00000-000-15	900	1500	330	50 000	6 000	PRICE ON REQUEST
SKB 26	190-00000-000-26	900	2600	420	68 000	included	PRICE ON REQUEST
SKB 30	190-00000-000-30	900	3000	475	72 000	included	PRICE ON REQUEST
END	191-00000-095-00				3 800		Included

- Widths from 300 mm to 3000 mm
- Brush 900
- Very effective
- Can be customised with the right brush for different applications
- For levelling of slopes, lawns, gravelled areas, etc.

SKB-BALLAST 26

SKB 26


The roller is replaceable so the same frame can be used for rollers with plastic covers and a ballast hose


PLASTIC

RUBBER GUARD

STEEL
ROB 20

BALLAST
ROTOR BRUSH steel, plastics or ballast

PRODUCT Max. machine weight	ARTICLE NUMBER <i>plastic brush/steel/ballast</i>	COUPLING	FLOW (l/min)	Diameter (mm)	WEIGHT (kg)	PRICE (SEK)
ROB 20	195-01101- 178/177/173 -09	S30	30-60	900	170	26 000
	195-01104- 178/177/173 -09	S40				
	195-03107- 178/177/173 -09	S45				
	195-03109- 178/177/173 -09	S50				
	195-03111- 178/177/173 -09	S60				
RUBBER GUARD	196-00000-000-00					4 400

- Flexible • Efficient under rotator • Low oil consumption • Guard can be mounted on either side

Also available with weed brush

PRICE LIST 2011

BUCKET SWEEPER for excavator. Available for loaders. Machine hitch not included

PRODUCT	ARTICLE NUMBER	MACHINE WEIGHT (max. tonnes)	BRISTLES (mm)	CAPACITY (SAE/l)	WIDTH (mm)	WEIGHT (kg)	PRICE (SEK)
SKS 0904	204-09000-000-04	<6 + Loaders	400	140	900	150	PRICE ON REQUEST
SKS 1104	204-11000-000-04	<6 + Loaders	400	170	1100	164	PRICE ON REQUEST
SKS 1106	204-11000-000-06	<12 + Loaders	600	170	1100	250	PRICE ON REQUEST
SKS 1225	204-12000-000-05	<14 + Loaders	500	300	1200	275	PRICE ON REQUEST
SKS 1375	204-13000-000-05	<16 + Loaders	500	340	1375	300	PRICE ON REQUEST
SKS 1685	204-16000-000-05	<18 + Loaders	500	415	1680	330	PRICE ON REQUEST
SKS 1856	204-18000-000-06	<22 + Loaders	600	460	1850	500	PRICE ON REQUEST
SKS 2356	204-23000-000-06	<22 + Loaders	600	700	2350	650	PRICE ON REQUEST
SKS 2506	204-25000-000-06	<24 + Loaders	600	745	2500	760	PRICE ON REQUEST

- Combi hitch for loader – excavator, price on request • Effective for carrying surplus materials, asphalt cutting, stump cutting, etc.
- Other sizes and models available on request
- Also available for loader or combined for loader and excavator

WITH SIDE BROOM (add. charge)



BALLAST BUCKET SWEEPER Ask for A QUOTE



Effectively picks up ballast,
soil, scrap, rubbish, mud, etc.

WITH HYDRAULIC OPENING (add. charge, ask for a quote)



BROOM

Machine hitch not included, see p. 21 AGS

PRODUCT	ARTICLE NUMBER	WIDTH (mm)	RUBBER BLADE	WEIGHT (kg)	PRICE (SEK)
BST 12	210-12000-000-00	1200		130	15 000
BST 14	210-14000-000-00	1400		150	16 000
BST 16	210-16000-000-00	1600		170	17 000
BST 18	210-18000-000-00	1800		190	18 000
BST 20	210-20000-000-00	2000		230	19 000
BST 24	210-24000-000-00	2400		280	28 000
RUBBER BLADE BST	211-00000-000-00				4 300
BST RT 15	212-15000-000-00	1500	X	128	15 000
BST RT 20	212-20000-000-00	2000	X	167	19 000

BST

BST RT

NEW

- Simple and good value for money
- Easy to fit on different machines
- Levels out rubble, top soil, ballast, etc.
- Sweeps up rubble, rubbish, water, snow, etc. extremely well

DITCH BANK CUTTER

PRODUCT	ARTICLE NUMBER	WIDTH (mm)	CUTTING THICKNESS (mm)	FLOW (l/min)	WEIGHT (kg)	PRICE (SEK)
DIK 20	167-00000-000-00	2000 - 3500	30	45 - 70	260-460	PRICE ON REQUEST

- For lighter thickets and reeds together with ditch clearing
- Mowing of energy grass
- Low oil consumption
- Lightweight



DIK 20

TILLER

Machine hitch not included, see p. 21 AGS

PRODUCT Max. machine weight	ARTICLE NUMBER	WIDTH	PRICE (SEK)
SKF 6	175-00000-000-09	900	45 000
SKF 12	175-00000-000-11	1150	46 000
SKF 14	175-00000-000-14	1450	48 000

TILLER

SKF



POWER RAKE

PRODUCT	RECOMMENDED MACHINE WEIGHT (max. tonnes)	ORBIT	WORKING WIDTH (mm)	MAX. PRESSURE (bar)	FLOW (l/min)	WEIGHT (kg)	PRICE (SEK)
SLA 2	176-00000-000-06	X	600	250	26	120	PRICE ON REQUEST
SLA 4	176-00000-000-08	X	800	250	34	150	PRICE ON REQUEST
SLA 6	176-00000-000-10	X	1 000	250	42	180	PRICE ON REQUEST
SLA 12	176-00000-000-13		1 300	250	75	500	PRICE ON REQUEST
SLA 14	176-00000-000-16		1 600	250	90	600	PRICE ON REQUEST
SLA 20	176-00000-000-19		1 900	250	100	700	PRICE ON REQUEST



The website features used equipment, videos and offers



PRICE LIST 2011

TREE AND METAL CUTTER Machine hitch not included, see p. 21 AGS

PRODUCT Max. machine weight	ARTICLE NUMBER	PRESSURE (bar)	WEIGHT (kg)	CUTS (wood, mm)	CUTS (metal, mm)	PRICE (SEK)
TKL 22	180-00000-000-22	225	210	250		80 000
TKL 30	180-00000-000-30	225	300	350		90 000
MKL 22	181-00000-000-22	300	650	350	channel 200	90 000
TKL-HUM CRANE	182-00106-000-00	225	60	140		25 000
TKL-HUM 22	182-00000-000-00	225	130	140		32 000
GRAPPLE	Grapple mounted with MKL or TKL					PRICE ON REQUEST

- Flexible
- Cuts trees up to 250 mm thick
- Low oil consumption
- Good value for money

MKL

- Cuts channels up to 200 mm
- Pipes, trees, etc.

TKL



TREE CUTTER TKL-HUM

- Grapple available as option
- With rubber suspension
- Cuts up to 140 mm



**TKL 22
with integrated grapple**

MKL with grapple

THICKET CUTTER BAR

PRODUCT	ARTICLE NUMBER	REC. MACHINE WEIGHT	CUTTING WIDTH (mm)	THICKNESS TREE (mm)	FLOW (l/min)	WEIGHT (kg)	PRICE (SEK)
HXX 150	185-00000-000-15	< 6	1300	30	45	115	PRICE ON REQUEST
HXX 225	185-00000-000-22	< 18	2250	90	60	220	PRICE ON REQUEST
LRS 2001	186-00000-000-01	< 20	2000	150	75	220	PRICE ON REQUEST
LRS 2004	186-00000-000-04	< 22	2400	200	85	260	PRICE ON REQUEST

BRANCH CUTTER



HXX 225

- Gives a nice cut surface
- Low oil consumption
- Easy to assemble

BRANCH SAW LRS



CRANE ARM for excavator

Machine hitch not included, see p. 21 AGS

PRODUCT Max. machine weight	ARTICLE NUMBER	HYDRAULIC	MAX. LOAD (kg)	LENGTH (mm)	WEIGHT (kg)	PRICE (SEK)
KAM2-25	215-02000-000-25	No	500	2500 – 1500	90	PRICE ON REQUEST
KAM2-32	215-02000-000-32	No	1000	3200 – 1900	185	PRICE ON REQUEST
KAM3-45	215-03000-000-45	Mech.*	1000	4500 – 1850	320	PRICE ON REQUEST
KAM3-73	215-03000-000-70	Mech.*	1000	7300 – 2900	380	PRICE ON REQUEST

*Hydraulic Crane Arm on request

Load-sensing. Standard on machines from 1997

- Lightweight
- Hook included

*The B20 coupling must be fixed to the machine

For loaders



see page 43


KAM3-73

KAM2-32
RAKE

Machine hitch not included, see p. 21 AGS

PRODUCT Max. machine weight	ARTICLE NUMBER	BETWEEN PINS (mm)	WIDTH (mm)	WEIGHT (kg)	PRICE (SEK)
RÄFSA 10	225-00000-000-10	65	1000-2000	230	17 000
RÄFSA 30	225-00000-000-30	65	1500-2500	460	24 000



- Can be attached beneath tilt rotator
- Distance between pins and length made to your measurements

GENERAL PURPOSE GRAPPLE

Machine hitch not included, see p. 21 AGS

PRODUCT Max. machine weight	ARTICLE NUMBER	COUPLING	PIN LENGTH (mm)	WIDTH (mm)	WEIGHT (kg)	PRICE (SEK)
STGU 6	227-02101-000-09	S30	820	900	90	9 000
	227-02104-000-09	S40		900		
	227-04104-000-11	S40		1100		
STGU 12	227-06104-000-13	S40	820	1300	200	11 500
	227-06107-000-13	S45				
	227-06109-000-13	S50				
STGU 18	227-10107-000-15	S45	820	1500	250	13 500
	227-10109-000-15	S50				
	227-10111-000-15	S60				



PRICE LIST 2011

ROTATORS with fixed coupling for grapple

Valve not included

PRODUCT Max. machine weight	ARTICLE NUMBER	FOR GRAPPLE	FIXED COUPLING	PRICE (SEK)
FRG 3	235-03101-000-00 235-03104-000-00	18	S30 S40	12 000
FRG 5	235-04104-000-00 235-04107-000-00 235-04109-000-00	18-27	S40 S45 S50	15 000
FRG 6	235-06107-000-00 235-06109-000-00	23 - 27 - 28	S45 S50	21 000
FRG 8	235-12107-000-00 235-12109-000-00 235-12111-000-00	23S-28S	S45 S50 S60	PRICE ON REQUEST
FRG 10	235-16107-000-00 235-16109-000-00 235-16111-000-00	23S-28S	S45 S50 S60	
Valve fitted	600-00000-232-00			
Accumulator fitted	236-00000-000-00			1 900



- Fast and accurate when you grab or rotate
- Longer reach
- Good value for money

CURBSTONE GRAPPLE

PRODUCT	ARTICLE NUMBER	COUPLING	MAX. LOAD (kg)	WEIGHT (kg)	OPENS (mm)	WIDTH (mm)	PRICE (SEK)
KSG 05	172-05101-000-00 172-05104-000-00	S30 S40	800	75	330	200	28 000
KSG 10	172-05107-000-00 172-10109-000-00	S45 S50	1000 1000	75 95	330 330	200 200	28 000 29 000
KSG 15	172-15111-000-00	S60	1500	115	330	200	32 000

- Load-holding valve
- Used for handling curbstones
- Rubber-coated surfaces protect the stone

SELECTION OF ROTATORS

PRODUCT	ARTICLE NUMBER	MAX. LOAD	PRICE (SEK)
ROT 2t	240-02000-000-00	2 tonnes	4 200
ROT 3t	240-03000-000-00	3 tonnes	5 000
ROT 4.5t	240-04000-000-00	4.5 tonnes	6 200
ROT 5.5t	240-05000-000-00	5.5 tonnes	7 500
ROT 6t	240-06000-000-00	6 tonnes	PRICE ON REQUEST
ROT 12t	240-12000-000-00	12 tonnes	
ROT 16t	240-16000-000-00	16 tonnes	
ROT AB 1500		Excavator <15 tonnes	

KSG 10



ROT 12t



- Compact
- Reliable
- Good value for money
- See also GRAPPLE ADAPTER on page 3 to get a complete grapple rig.

GENERAL PURPOSE BUCKET

PRODUCT	ARTICLE NUMBER	WIDTH (mm)	CAPACITY (litres)	WEIGHT (kg)	PRICE (SEK)
GRI HS60	251-00000-000-06	620	275	280	PRICE ON REQUEST
GRI HS70	251-00000-000-07	720	335	295	PRICE ON REQUEST
GRI HS80	251-00000-000-08	820	400	320	PRICE ON REQUEST
GRI HS90	251-00000-000-09	920	450	335	PRICE ON REQUEST
GRI HS100	251-00000-000-10	1020	500	350	PRICE ON REQUEST
GRI HS120	251-00000-000-12	1220	600	380	PRICE ON REQUEST



GRI HS80

Can be equipped with side panels as an option

- Excavation and loading work
- Easy to shovel in and out
- Good value for money

GRAPPLES for all machines. Max. pres.: 210 bar. Machine hitch not included, see p. 21 AGS

PRODUCT	ARTICLE NUMBER	GRAPPLE AREA (m ²)	MAX. LOAD (kg)	WEIGHT (kg)	OPENS (mm)	WIDTH (mm)	PRICE (SEK)
GRI 12	250-12000-000-00	0.12	600	40	740	235	7 000
GRI 18	250-18000-000-00	0.18	1000	50	925	260	8 300
GRI 22	250-22000-000-00	0.22	1200	80	1290	315	11 000
GRI 23	250-23000-000-00	0.23	1500	100	1310	380	12 000
GRI 23S	250-23000-000-01	0.23	3000	120	1310	380	14 000
GRI 26	250-26000-000-00	0.26	1700	75	1210	280	10 000
GRI 27	250-27000-000-00	0.27	1800	90	1250	320	14 000
GRI 28	250-28000-000-00	0.28	3000	180	1540	396	22 000
GRI 28S	250-28000-000-01	0.28	5000	230	1540	470	26 000
GRI 42	250-42000-000-00	0.42	5000	265	1900	490	33 000
GRI 42S	250-42000-000-01	0.42	7000	310	1900	510	37 000
GRI 55	250-55000-000-00	0.55	7000	435	2450	550	53 000

Hose to rotortilt SEK 1 000 Accumulator SEK 1 900

- Curbstone work
- Rail work
- Timber
- Stone work
- Demolition work
- Sorting work
- Extra liner, rubber (add. charge)
- Grid or leakproof sides (add. charge)
- Load-holding valve and pressure accumulator (add. charge)

DEMOLITION GRAPPLES. Teeth not included. Machine hitch not included, see p. 21 AGS

PRODUCT	ARTICLE NUMBER	MACHINE WEIGHT (max. tonnes)	WEIGHT (kg)	OPENS (mm)	WIDTH (mm)	PRICE (SEK)
GRI 05 Riv	252-05000-000-00	< 5	180	1110	506	38 600
GRI 10 Riv	252-10000-000-00	< 12	325	1500	715	59 400
GRI 15 Riv	252-15000-000-00	< 16	540	1780	862	68 000
GRI 20 Riv	252-20000-000-00	< 22	620	1950	862	79 400
GRI 30 Riv	252-30000-000-00	< 30	1080	2620	1170	109 300
GRI TG15 HD	253-15000-140-00	< 5	190	1124	390	36 000
GRI TG20 HD	253-20000-140-00	< 10	500	1570	535	65 000
GRI TG25 HD	253-25000-140-00	< 18	1000	1960	800	98 000
GRI TG30 HD	253-30000-140-00	< 24	1500	2340	900	135 000
GRI TG35 HD	253-35000-140-00	< 32	1700	2340	1000	160 000

- Adapted to tilt rotator
- Expanding shafts
- Stable design
- Rapid movement underneath tilt rotator..
- Good value for money



SELECTION OF GRAPPLE BUCKETS Ask for a QUOTE

PRODUCT	ARTICLE NUMBER	CAPACITY (litres)	WEIGHT (kg)	WIDTH (mm)	OPENS (mm)	PRICE (SEK)
GRI TGGL40	255-00000-000-04	125	140	430	1200	PRICE ON REQUEST
GRI TGGL50	255-00000-000-05	150	150	530	1200	PRICE ON REQUEST
GRI TGGL70	255-00000-000-07	200	190	730	1200	PRICE ON REQUEST
GRI TGGL1000	255-00000-000-10	410	265	1030	1350	PRICE ON REQUEST



PRICE LIST 2011

SHIMS

PRODUCT	ARTICLE NUMBER	THICKNESS	PRICE (SEK)
SCHIMS 1	275-00117-000-01	1 mm	10
SCHIMS 2	275-00117-000-02	2 mm	15
SCHIMS 3	275-00117-000-03	3 mm	20
SCHIMS 5	275-00117-000-05	5 mm	25



ANTI-THEFT DEVICES Approved by Stöldskyddsföreningen (the Swedish Theft Prevention Association)

PRODUCT	ARTICLE NUMBER	LENGTH	ANTI-THEFT DEVICES	PRICE (SEK)
CHAIN	230-00000-166-02	2.5 m	With loop. Theft prevention class 3	600
LOCK	231-00000-000-00		Theft prevention class 3	600
PACKAGE	232-00000-166-02	2.5 M	Lock and chain, class 3. With loop	1 000

Other lengths of chain can be ordered



- Certificate for anti-theft device following purchase of lock and link
- The purchase will be registered and documented
- Documentation is stored for 10 years



Lock package

PAVING BAR asphalt, surfacing

Machine hitch not included, see p. 21 AGS

PRODUCT Max. machine weight	ARTICLE NUMBER	WIDTH (mm)	WEIGHT (kg)	PRICE (SEK)
LVB 8	102-15000-000-00	1500	300	PRICE ON REQUEST
LVB 24	102-21000-000-00	2100	450	
	102-25000-000-00	2500	450	
	102-27000-000-00	2700	500	

- Easy to set to different paving widths
- Several variations and widths available • Available for excavators, loaders and tractors



COMPACTOR

Machine hitch not included, see p. 21 AGS

PRODUCT Max. machine weight	TYPE	ARTICLE NUMBER	WIDTH (mm)	WEIGHT (kg)	COMPACTION FORCE (kg)	Min./Max. (l/min)	PRICE (SEK)
MAV 8	MVS	060-00000-100-00	400	180	3500	25-75	48 000
MAV 18	GVS	060-00000-102-00	600	380	7500	40-120	62 000
MAV 35	RVS	060-00000-105-00	740	510	7500	40-120	66 000
MAV 40	RVE	060-00000-104-00	850	650	14000	90-130	88 000
MAV 45	RVE	060-00000-106-00	850	750	14000	90-130	93 000

For dimensions see below

- Can be attached beneath tilt rotator
- High compaction values
- Easy to adapt to the machine
- Low oil consumption
- Good value for money

MAV 35



With MAU you can get all your tools VIBRATING!

UNIQUE COMPACTOR with hydraulic bottom coupling

Upgraded

PRODUCT Max. machine weight	TYPE	ARTICLE NUMBER	COUPLING	WEIGHT (kg)	COMPACTION FORCE (kg)	Min./ Max. (l/min)	PRICE (SEK)
MAU 6	MVU	060-02104-000-00	S40	180	3500	25-75	64 000
MAU 8	GVU	060-03107-000-00 060-03109-000-00	S45 S50	220	3500	25-75	69 000
MAU 14	GVU	060-04107-000-00 060-06109-000-00	S45 S50	380	7500	40-120	74 000
MAU 18	GVU	060-09111-000-00	S60	510	7500	40-120	77 000
MAU 24	RVU	060-10113-000-00	S70	650	7500	40-120	89 000

Compactor plate MVP

PRODUCT Max. machine weight	WIDTH (mm)	ARTICLE NUMBER plate for compactor	PRICE (SEK)	ARTICLE NUMBER plate for ballast tamper	PRICE (SEK)
MVP 6	400	066-02104-000-00	7 000	066-02104-090-00	10 000
MVP 8	600	066-02107-000-00	8 000	066-02107-090-00	11 000
MVP 14	600	066-02109-000-00	9 000	066-02109-090-00	12 000
MVP 18	740	066-02111-000-00	11 000	066-02111-090-00	14 000
MVP 24	740	066-02113-000-00	14 000	066-02113-090-00	17 000



**With MAU you can
get all your tools
VIBRATING!**

Model	MVS*	GVS**	RVS**	RVE***
Manufacturer	RF	RF	RF	RF
Type of motor	HPI	HPI	HPI	HPI
Min. hydraulic pres. (bar)	110	110	110	140
Hydraulic flow (l/min)	37	54	54	105
Area std LxW, mm	550x400	710x600	760x740	885x850
Vibration frequency, Hz	75	60	60	58
Forward/Reverse	On the machine	On the machine	On the machine	On the machine
Length, mm (outer edge)	550 (650)	710 (900)	760 (1000)	885 (1100)
Width, mm	400	600	740	850
Height, mm	430	560	560	700
Weight, kg	90-180	380	510	650
Compaction force, kg	2000-3500	7500	7500	14000



SKG 4 ASF M



- High compaction values
- Easy to adapt to the machine
- Low oil consumption
- Possible to swap attachment under the vibrating unit
- Can be attached beneath tilt rotator
- Good value for money

*Smaller machines

**Backhoe loaders

***Larger machines

PRICE LIST 2011

Hand pump: SEK 5 100

ADAPTERS BETWEEN DIFFERENT ATTACHMENT COUPLINGS

PRODUCT Max. machine weight	ARTICLE NUMBER		COUPLING		MAX. LOAD. (tonnes)	PRICE (SEK)	
	MECHANICAL	HYDRAULIC	Towards machine	Towards attachment		Mechanical	Hydraulic
ADP 2	045-80101-104-00	045-82101-104-00	S30	S40	0.5	14 000	16 000
ADP 6	045-80104-107-00		S40	S45	1	30 000	
	045-80107-104-00	045-82107-104-00	S45	S40		14 000	16 000
ADP 14	045-80107-109-00		S45	S50	2.5	30 000	
	045-80107-111-00			S60		32 300	
		045-82107-117-00		B20			33 500
ADP 14	045-80109-107-00		S50	S45		22 300	
ADP 18	045-80109-111-00			S60		32 300	
ADP 14	045-80111-107-00		S60	S45		31 100	
ADP 14	045-80111-109-00			S50		31 100	
ADP 18		045-82111-113-00		S70	4		41 000
ADP 18		045-82111-117-00		B20			40 700
ADP 18	045-80113-111-00		S70	S60		32 300	
		045-82113-117-00		B20			41 500
		045-82113-118-00		B27			49 600
ADP 14	045-80117-107-00		B20	S45	2.5	31 100	
ADP 14	045-80117-109-00			S50	4	31 100	
ADP 18	045-80117-111-00			S60		32 300	
ADP 24		045-82117-113-00	B27	S70	5		42 200
		045-82118-117-00		B20	5		49 800
		045-82118-119-00		B30	6		79 400
	045-80118-111-00			S60	6	34 500	
		045-82119-118-00		B30	6		53 800

ADAPTERS BETWEEN EXCAVATORS AND LOADING ATTACHMENTS

PRODUCT Max. machine weight	ARTICLE NUMBER	COUPLING		MAX. LOAD (tonnes)	PRICE (SEK)
		Towards machine	Towards loader		
ADP 2	047-00101-172-00 047-00104-172-00	S30 S40	Trima	1	16 000
ADP 14	047-00107-172-00	S45	Trima	2.5	16 500
	047-00109-172-00	S50	StBM		18 000
	047-00107-170-00	S45			
	047-00109-170-00	S50			
ADP 18	047-00111-170-00	S60	StBM	2.5	18 500
ADP 22	047-00117-170-00	B20	StBM	2.5	19 500
	047-00113-170-00	S70			
ADP 24	047-00118-170-00	B27	StBM	4	22 000
	047-00119-170-00	B30			
	047-00114-170-00	S80			



ADAPTERS BETWEEN TRACTORS AND EXCAVATOR COUPLINGS

PRODUCT Max. machine weight	ARTICLE NUMBER	COUPLING		MAX. LOAD (tonnes)	PRICE (SEK)
		Tractor category	Excavator		
TAF 2	305-00191-104-00	Cat 2	S40	2,5	PRICE ON REQUEST
	305-00191-107-00		S45		
	305-00191-109-00		S50		
	305-00191-111-00		S60		
TAF 3	305-00193-107-00	Cat 3	S45	5	PRICE ON REQUEST
	305-00193-109-00		S50		
	305-00193-111-00		S60		
	305-00193-113-00		S70		

VERGE TRIMMER VKS

For loaders >15 tonnes
Excavators >16 tonnes



- Cut off and re-compact slope.
- Achieve effective road drainage
- High level of efficiency, 1-5 km/h
- A single machine does the work.
- A single machine moves between different work areas
- Smoother traffic flow with constant movement
- Effective on the road with safety fence or wire guard rail



Products for loaders/front loaders

The products shown are just a selection.

Contact us for details of more products

From 3200 mm to 6600 mm

Can be ordered in larger widths

TELESCOPIC SNOW BLADES



Effective and the most economical method to use when sorting and recycling soil and aggregate

ROTARY SIFTER



- Width: 2600 mm
- Length: 2350 mm
- Height: 1950 mm
- Weight: 1750 kg
- Drum width: 2265 mm
- Drum diameter: 2000 mm
- Sieve area: 13 m²/revolution

- Total capacity: 7.2 m³
- Sifting capacity: 1000 kg
- Standard size: 35x35 mm mesh
- Capacity: 30-50 m³/hour
- Hydraulic and working pressure: 150-160 bar
- Hydraulic flow: 60-90 l/min
- Appropriate operating speed: 13-15 rpm

Products for loaders/front loaders

GRADING BUCKET

Article number Stora BM	WIDTH	DEPTH	HEIGHT	WEIGHT (kg)	PRICE (SEK)
30304220	2200	1200	650	600	22 900
30304250	2500	1200	650	760	24 400
30304265	2650	1450	650	900	26 800
30304277	2770	1450	650	955	28 700
30304295	2950	1520	650	1090	32 900

The grading buckets are supplied with a ribbed bottom as standard, but can, if desired, also be manufactured with a smooth bottom.

The grading bucket can be fitted with a height extension section (snow collar).




HYDRAULIC FORK SET (not including forks)

Article number Stora BM	FRAME WIDTH (mm)	CAPACITY (kg)	WEIGHT (kg)	PRICE (SEK)
35104150	1500	5290	175	17 700
35104200	2000	5290	210	20 400
35104250	2500	5290	250	24 800
35204150	1500	9140	215	18 700
35204200	2000	9140	300	22 700
35204250	2500	9140	350	28 200

Hydraulic pallet fork frames with fork spreading as standard. Can also be fitted with hydraulically or electrically controlled side shift (12 or 24 volts for electric version) A powerful and robust framework that can handle today's strict requirements for quality, safety and reliability.

Combine with fork arms for a complete rig.



MECHANICAL FORK SET (not including forks)

Article number Stora BM	FRAME WIDTH (mm)	CAPACITY (kg)	WEIGHT (kg)	PRICE (SEK)
34104120	1200	4000	115	6 100
34104150	1500	4000	135	6 300
34204120	1200	5290	130	8 000
34204150	1500	5290	145	8 500
34204200	2000	5290	180	9 900
34204250	2500	5290	215	14 100
34304120	1200	9140	175	8 700
34304150	1500	9140	195	9 200
34304200	2000	9140	270	11 500
34304250	2500	9140	310	16 200

Powerful and robust frameworks that can handle today's strict requirements for quality, safety and reliability. The forks are moved manually and locked into place with a locking pin in the top bar. The forks for fork frames with a capacity of 9140 kg have three tines for optimum stability.

Combine the frame with fork arms for a complete set of equipment.



Products for loaders/front loaders

FORK ARMS


Article number	CAPACITY (kg)	WIDTH (mm)	THICKNESS (mm)	LENGTH (mm)	WEIGHT/ PAIR (kg)	PRICE (SEK)
57282120	4000	125	45	1200	150	6 500
57282140	4000	125	45	1400	165	6 900
57382120	5000	125	50	1200	210	11 400
57382145	5000	125	50	1450	230	12 000
57382160	5000	125	50	1600	250	12 500
57382200	5000	125	50	2000	300	14 000
57482120	8400	150	60	1200	300	14 600
57482145	8400	150	60	1450	330	15 000
57482160	8400	150	60	1600	350	15 500
57482200	8400	150	60	2000	400	18 000



These forks come from one of Europe's largest fork manufacturers and are of a very high quality. All forks are completely cured. On forks with a capacity of 8400 kg, three tines are used to give the fork better stability. **NOTE:** The picture shows forks with a capacity of 8400 kg. Forks with a capacity of 4000 kg have a different design.

FORK EXTENSIONS (A selection. More lengths are available.)

Article number Stora BM	CAPACITY (kg)	ADAPTED FOR FORK (mm)	LENGTHS (mm)	PRICE (SEK)
41608 ***	2500	100x40	2100 - 2500	3 500
41616 ***	5000 *	125x50	2100-2500	4 700
41617 ***	7000	150x60	2100-2500	5 900
41619 ***	10000 **	200x60	2100-2500	6 800
41631 ***	15000 **	200x70	2100-2500	11 400



* Open bottom is marked only with 4000 kg

** Not supplied with open bottom

*** Length in mm indicated in art. no.

The extension forks are made from Domex 650 and are of a very high quality. Adapted to each customer's requirements and made in all imaginable lengths and dimensions. Available with closed and open bottom.

MECHANICAL CRANE ARMS

Article number Stora BM	MODEL	HOOK TYPE	LENGTH (mm) (min.-max.)	WEIGHT (kg)	MAX. LOAD (fully in to max. out)	PRICE (SEK)
31804330	2-piece	BKL-10	2000-3300	220	1900-1150	16 400
31604460	3-piece	BKL-13	1950-4600	360	6150-1380	24 300
31704745	3-piece	BKL-13	3050-7450	480	4200-875	27 500

Telescopic crane arms for loaders which are mounted directly on the frame.

Two-piece or three-piece mechanical arm.

Full load table available.



Products for loaders/front loaders

HYDRAULIC CRANE ARMS

Article number Stora BM	MODEL	HOOK TYPE	LENGTH (mm) (min.-max.)	WEIGHT (kg)	MAX. LOAD (fully in to max. out)	PRICE (SEK)
33804330	2-piece	BKL-10	2000-3300	270	1900-1150	23 400
33804460	3-piece	BKL-13	1950-4600	410	6150-1380	34 300
33804745	3-piece	BKL-13	3050-7450	530	4200-875	40 500

Hydraulic telescopic crane arm.

Telescopic crane arm for loaders which are mounted directly on the frame. Three-piece, with the first arm being pushed out with hydraulics and the second arm manually if necessary.

Full load table available.



Hitch hooks – Welding technique

OBF	COUPLING
1503	L 150-180
1402	Stora BM
1301	Lilla BM
1001	Trima
1002	Euro
1100	ZM 302
1101	Ahlmann
1102	ZM 402
1103	ZM 602, 802
1201	Bobcat



OBF - Couplings



Lilla BM



Trima

Conversion hitches with own welding and adapters between various couplings

Stora BM
Eurofäste
Trima

Lilla BM
Gehl
Zettelmeyer

Bobcat
Kramer
Weidemann

Ahlmann
New Holland

Alö
Schäffer

Avant

ADAPTERS with lever lock

Attach- ment	Machine
Lilla BM	Stora BM
Stora BM	Lilla BM
L 150	Stora BM
ZL, L30	Trima
Trima	Stora BM
ZL, L30	Stora BM
Euro	Trima



Stora BM

FOR CUSTOM ADDITIONS

Available
for TRIMA
Lilla BM




Available
for TRIMA
Lilla BM

Three-point for Stora BM

Data required for ordering a bucket built to your own dimensions

Toothed system			We build to your dimensions
Cat	1. Machine size		
C-lock	2. Coupling + bucket angle		
Kverneland	3. Height		
UNI-Z	4. Width		
Catex	5. Bucket edge to bucket top		
	6. Tip length		
	7. Fitting (e.g. teeth)		
	8. Tooth tip		
	9. Extra wear parts (e.g. ribs, sweeper, bottom)		
	10. Bucket opening, from edge to top		



F70A

Vibrating plate with petrol motor for compacting sand, gravel, crushed rock, asphalt and paving stone. Ideal for compaction of smaller asphalt surfaces and repair work.

Net weight: 79 kg



FR85

Round vibrating plate with petrol motor for compacting sand, gravel and crushed rock. Ideal in tight spaces. Easy to manoeuvre.

Net weight: 88 kg



FB135

Vibrating plate with petrol motor for compacting sand, gravel, crushed rock and paving stone. Suitable for use in e.g. pipe trenches.

Net weight: 142 kg



F90A

Vibrating plate with petrol motor for compacting sand, gravel, crushed rock, asphalt and paving stone. Ideal for compaction of smaller asphalt surfaces and repair work.

Net weight: 108 kg



More options are available

COMPACTORS

Ask for a quote

FB200E

Vibrating plate with diesel motor for compacting sand, gravel, crushed rock and paving stone. Ideal all-round machine with high capacity.

Net weight: 215 kg



F140

Vibrating plate with petrol motor for compacting sand, gravel, crushed rock, asphalt and paving stone.

Net weight: 141 kg



FB465

Vibrating plate with diesel motor for compacting sand, gravel, crushed rock and stone. Well balanced and easy to manoeuvre. Stepless adjustable speed.

Net weight: 465 kg



FB225

Vibrating plate with petrol motor for compacting sand, gravel, crushed rock and paving stone.

Net weight: 233 kg





Swedish-manufactured


RF
SYSTEM AB

RF-System AB
Industrigatan 16
SE-288 32 Vinslöv

Visiting address:
Furutorpsgatan 6

Tel.: +46 (0)44 817 07
Fax: +46 (0)44 859 63

www.rf-system.se
info@rf-system.se



You can get our other catalogues by post or download them from our website.

NEW
PRODUCTS

VIDEOS



CABLE ACCESSO-



LOADERS



RAILWAY EQUIPMENT

OFFERS

USED EQUIPMENT